



OSHA Compliance Guidance for Funeral Homes – Part 2

3 CE Hours

Funeral Service Academy

PO Box 449
Pewaukee, WI 53072

www.funeralcourse.com
support@funeralcourse.com
888-909-5906



APFSP Provider 1107

Course Instructions

Each of the course PDFs below contain a preview of the final exam followed by the course material.

The exam is identical to the final exam that you will take online after you purchase the course. You may use this exam preview to help you study the course material.

After you purchase the course online, you will be taken to a receipt page which will have the following link:

[Click Here to Take Online Exam](#)

Simply click on this link to take the final exam and receive your certificate of completion.

3 Easy Steps to Complete a Course:

1. Read the course material below.
2. Purchase the course online & take the final exam.
3. Print out your certificate.

If you don't pass the exam, no problem –
you can try it again for free!

Funeral Service Academy

PO Box 449
Pewaukee, WI 53072
(888)909-5906
support@funeralcourse.com

Final Exam – OSHA Compliance Guidance for Funeral Homes – Part 2 (3 CE Hours)

1. _____ with OSHA's Bloodborne Pathogens standard.
 - a. All funeral homes must comply
 - b. Funeral homes in which embalming is conducted may choose whether to comply
 - c. Funeral homes in which embalming is conducted must comply
 - d. None of the above

2. Per OSHA's Bloodborne Pathogens Standard, _____ is an approach to infection control. According to this concept, all human blood and certain human body fluids are treated as if known to be infectious for HIV, HBV, and other bloodborne pathogens.
 - a. Exposure Incident
 - b. Individual Source
 - c. Occupational Exposure
 - d. Universal Precautions

3. When there is occupational exposure, the employer shall provide, _____, appropriate personal protective equipment such as, but not limited to, gloves, gowns, laboratory coats, face shields or masks and eye protection, and mouthpieces, resuscitation bags, pocket masks, or other ventilation devices
 - a. At a discount
 - b. At no cost to the employee
 - c. At the lowest available wholesale price
 - d. All of the above

4. Disposable (single use) gloves, such as surgical or examination gloves, _____.
 - a. May be decontaminated for re-use if the integrity of the glove is not compromised
 - b. May be washed for re-use if not showing signs of deterioration
 - c. Shall not be washed or decontaminated for re-use
 - d. None of the above



5. Which statement regarding “Hepatitis B vaccination and post-exposure evaluation and follow-up” is FALSE?

- a. The employer shall make available the hepatitis B vaccine and vaccination series to all employees who have occupational exposure
- b. The employer shall make available post-exposure evaluation and follow-up to all employees who have had an exposure incident.
- c. The employer shall ensure that all laboratory tests are conducted by an accredited laboratory and deducted pre-tax from the affected employee's pay
- d. All of the above

6. Per OSHA’s Hazard Communication Standard, _____ means any potential occurrence such as, but not limited to, equipment failure, rupture of containers, or failure of control equipment which could result in an uncontrolled release of a hazardous chemical into the workplace.

- a. Foreseeable emergency
- b. Hazard category
- c. Hazard class
- d. Hazard statement

7. Where employees must travel between workplaces during a workshift, i.e., their work is carried out at more than one geographical location, the written hazard communication program _____.

- a. May be kept at the primary workplace facility
- b. Must be portable, and in the employee's possession at all times
- c. Must be duplicated and placed at each workplace facility
- d. None of the above

8. Employers shall have a safety data sheet in the workplace _____

- a. For a minimum of 50% of the hazardous chemicals in frequent use
- b. For a minimum of 85% of the hazardous chemicals in frequent use
- c. For each hazardous chemical which they use
- d. For each of the most frequently-used hazardous chemicals

9. _____ shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard the employees have not previously been trained about is introduced into their work area.

- a. Distributors
- b. Employers
- c. Manufacturers
- d. OSHA

10. Per OSHA's Personal Protective Equipment Standard, _____
- a. All employers are required to make an assessment of the hazards in their workplaces
 - b. Employers must certify that employees have been properly trained to use the selected PPE
 - c. For any hazards identified, the employer must certify that the PPE which has been selected is that which is most appropriate to the hazard
 - d. All of the above

CONTINUING EDUCATION for Funeral Directors & Embalmers

OSHA Compliance Guidance for Funeral Homes – Part 2

3 CE Hours

Course Content

The “OSHA Compliance Guidance for Funeral Homes” series reviews the latest OSHA requirements for the profession. Part 2 covers the Bloodborne Pathogens Standard, the Hazard Communications Standard, and personal protective equipment.

Course Objectives

- Understand the requirements that must be met in order to comply with the OSHA Bloodborne Pathogens Standard
- Review the complete text of OSHA Standard § 1910.1030 Bloodborne Pathogens
- Review the appendix to OSHA Standard § 1910.1030 Bloodborne Pathogens
- Understand the requirements that must be met in order to comply with the OSHA Hazard Communication Standard
- Review the complete text of OSHA Standard § 1910.1200 Hazard Communication
- Understand the requirements that must be met in order to comply with the OSHA Personal Protective Equipment Standard

OSHA Compliance Guidance for Funeral Homes

Compliance with OSHA Bloodborne Pathogens Standard

Introduction to the OSHA Bloodborne Pathogens Standard

Employees with occupational exposure to blood and other potentially infectious materials (OPIM) face the hazard of becoming infected with bloodborne pathogens (BBP). Because of the severe consequences of contracting diseases from these pathogens, employees who are occupationally exposed to bloodborne pathogens must be included in an exposure control plan, which is designed to eliminate or minimize employees' exposures through specific procedures, practices, controls, and training. "Universal Precautions" is an approach to infection control in

which all human blood and certain human body fluids, such as semen, pleural fluid, pericardial fluid, peritoneal fluid, amniotic fluid, and all body fluids in situations where it is difficult or impossible to differentiate between body fluids, are treated as if known to contain bloodborne pathogens.

Compliance Requirements for Funeral Homes

Funeral homes in which embalming is conducted must comply with OSHA's Bloodborne Pathogens standard. The requirements for compliance are listed in the following table. Throughout this section, the following acronyms are used: BBP (bloodborne pathogens); OPIM (other potentially infectious material).

Bloodborne Pathogens Action Items	
Hazardous Condition or Requirement	Recommended Corrective Actions
Each funeral home that conducts embalming must develop an exposure control plan (bloodborne pathogen program) designed to minimize or eliminate employees' exposures to bloodborne pathogens. 29 CFR 1910.1030(c)(1)(iii)	Document the exposure control plan in writing. Employees must be made aware of the written program and know where the program is kept. The written program must be reviewed at least annually. After reviewing the program you must document your review.
Hepatitis B vaccinations must be offered to all employees who are potentially exposed. 29 CFR 1910.1030(f)(1)	All employees who are potentially exposed to blood or OPIM must be offered the hepatitis B vaccination. For employees who already have had the series attempt to obtain a record that the vaccinations were performed. If records cannot be obtained then have employees sign a vaccine declination form. An example of the declination form is in the OSHA Bloodborne Pathogen standard, following this Action Items list. For the new employees who start the hepatitis B vaccination series offer the Hepatitis B vaccination titer for new employees who have not already completed the series within 1 to 2 month after they complete the vaccination series. The titer is required for those new employees who have ongoing blood exposure and have exposure to sharps. Note: Currently the Center for Disease Control does not recommend that you do a titer for those who are already outside of the 1-2 months after there series of vaccinations because the results may or may not be accurate. Also, they are not currently recommending that a booster shot be given. However, always follow your doctor's orders.

Exam Question

1. _____ with OSHA's Bloodborne Pathogens standard.
- a. All funeral homes must comply
 - b. Funeral homes in which embalming is conducted may choose whether to comply
 - c. Funeral homes in which embalming is conducted must comply
 - d. None of the above

Bloodborne Pathogens Action Items

Hazardous Condition or Requirement	Recommended Corrective Actions
<p>The company must investigate and/or document the use of engineering controls which reflect the best bloodborne pathogen exposure control technology available (including safer disposable scalpels, blunted suture needles, and safer hypodermic syringes).</p> <p>29 CFR 1910.1030(c)(1)(v) 29 CFR 1910.1030(d)(2)(i)</p>	<ol style="list-style-type: none"> Investigate engineering and work practice controls as the primary means of eliminating or minimizing employee exposure. Preventing exposures requires a comprehensive program, including engineering controls (e.g., safer scalpels) and proper work practices (e.g., no-hands procedures in handling contaminated sharps, eliminating hand-to-hand instrument passing). <i>Non-managerial employees must be involved in this process and their input must be documented.</i> <p>Commercially available products that are designed to eliminate infection from SHARPS injuries must be used, including safety disposable scalpels, blunted suture needles, and safety hypodermic needles. Refer to your products distributor for commercially available products.</p> <p>There are some needles that have to be re-used but should only be used when necessary and when the safety hypodermic syringes cannot be used. Do not remove disposable needles from the syringe with forceps. Dispose of the needle <i>and</i> the syringe to reduce exposure to blood borne pathogens.</p> <ol style="list-style-type: none"> Implement feasible controls Document the engineering control investigation You must review the safer devices at least annually to determine if newer technology is available.
<p>Protect workers from puncture wounds caused by syringes, scalpels, suturing needles, and other “sharps.”</p> <p>29 CFR 1910.1030(d)(2)(vii)</p>	<p>Use syringes, scalpels, suturing needles, and other “sharps” which are specifically designed to prevent puncture wounds. If a needle must be recapped, placing a needle cap into a stationary cap holder, and sliding the needle into the holder using one hand would eliminate the risks of two handed recapping of needles. Do not leave the exposed needle on the instrument tray.</p> <p>Avoid handing uncapped syringes between personnel. Use needle disposal containers equipped with devices to secure the needle while the syringe is unscrewed to eliminates handling of the needle during removal from the syringe.</p>
<p>A post-exposure evaluation and follow-up procedure must be in place in the event of an employee’s exposure to blood or OPIM, and specifically in the event of a puncture wound from a suturing needle.</p> <p>29 CFR 1910.1030(f)(3) & 29 CFR 1910.1030(f)(3)(iv)</p>	<p>Following the report of an exposure incident, provide a confidential medical evaluation and follow-up to the affected employee. This should include identification and documentation of the disease status of the source individual (the corpse) if this can be obtained. The employees must be sent to a <u>medical facility</u> that is capable of providing treatment in accordance with the latest CDC guidelines for the post-exposure care of individuals who have been exposed to human blood or other potentially infectious bodily fluids.</p>
<p>Employees must use “Universal Precautions” with all corpses.</p> <p>29 CFR 1910.1030(d)(1)</p>	<p>Ensure that all employees are adequately trained to understand the concept of “universal precautions” and use them in all procedures where there is potential for contact with bloodborne pathogens—specifically, every time an embalming is done.</p>

Bloodborne Pathogens Action Items	
Hazardous Condition or Requirement	Recommended Corrective Actions
<p>Drinking (coffee) and eating must not be allowed in work areas (including the embalming room) where there is a reasonable likelihood of exposure to blood or OPIM.</p> <p>29 CFR 1910.1030(d)(2)(ix)</p>	<p>Ensure food and drink is not allowed in the embalming room, as well as applying cosmetics or lip balm, and handling contact lenses in areas with a likelihood of exposure.</p>
<p>The facility must have a written housekeeping schedule for those areas which may be contaminated with blood or OPIM.</p> <p>29 CFR 1910.1030(d)(4)(i)</p>	<p>Determine and implement an appropriate written schedule for cleaning and decontamination based upon the location within the facility, type of surface to be cleaned, type of soil present, and tasks or procedures being performed in the area. All equipment and environmental and working surfaces shall be cleaned and decontaminated after contact with blood or other potentially infectious materials.</p>
<p>Only products or chemicals that are listed by the EPA or FDA as registered disinfectants or sterilants may be used to decontaminate surfaces or instruments that have been contaminated with blood or OPIM.</p> <p>29 CFR 1910.1030(d)(4)(ii) 29 CFR 1910.1030(d)(4)(ii)(A)</p>	<p>Check the label to ensure that you are using products or chemicals that are listed by the EPA or FDA as registered disinfectants or sterilants to decontaminate surfaces or instruments that have been contaminated with blood or OPIM. As is true with all disinfectant products, the effectiveness is governed by strict adherence to the instructions on the label.</p> <p>A mixture of 1 part sodium hypochlorite (household bleach) to 10 to 100 parts water is considered adequate for surfaces (made up daily).</p> <p>All instruments must be disinfected with either EPA or FDA approved cold sterilants after each use.</p> <p>NOTE: <i>Scrubbing Bubbles®, Mr. Clean®, Pinesol and other similar products are not to be used for decontamination of work surfaces because they are not registered disinfectants.</i></p> <p><i>Also, Reusable instruments must be properly disinfected after each use (i.e., in Cidex®); soap and water or Lysol® are not adequate for disinfecting contaminated instruments.</i></p>
<p>Use tongs or forceps to reach into the cleaning containers to pick up sharps.</p> <p>29 CFR 1910.1030(d)(3)(xi)(E)</p>	<p>Reusable sharps that are contaminated with blood or other potentially infectious materials should not be stored or processed in a manner that requires employees to reach by hand into the containers where these sharps have been placed. Provide and require the use of tongs or forceps for this task.</p>
<p>Scrub sponges and other potentially contaminated instrument cleaning tools must be stored properly.</p> <p>29 CFR 1910.1030(d)(4)(ii)(A)</p>	<p>Place the scrub brush and other cleaning tools into a closeable container. The container must be labeled with a biohazard symbol or you can use a red container to identify it as a biohazard.</p>
<p>Attach a biohazard warning label to containers of potentially infectious material.</p> <p>29 CFR 1910.1030(g)(1)(i)</p>	<p>All contaminated articles should be labeled, including the instrument tray, mop and bucket, trash cans used for biohazard storage, and bags used for storing reusable clothing, towels, sheets, refrigerators and freezers containing blood/OPIM; and other containers used to store, transport or ship blood/OPIM. The warning label must be red or orange in color with a biohazard symbol and lettering in black.</p>

Bloodborne Pathogens Action Items	
Hazardous Condition or Requirement	Recommended Corrective Actions
<p>Trash cans used for containment of biohazards must be lined with biohazard bags. The regulated waste must be placed in a container that can be closed or covered with a lid.</p> <p>29 CFR 1910.1030(d)(4)(iii)(B)(1)(iii)</p>	<p>If the trash is bio-contaminated then you must put a red biohazard bag in the trashcan and a biohazard sticker on the outside.</p> <p>It is recommended that you use trashcans with foot pedal operation for the lid to prevent contaminating the lid with blood or OPIM.</p>
<p>Sharps containers must be easily accessible to personnel and located as close as is feasible to the immediate area where sharps are used.</p> <p>29 CFR 1910.1030(d)(4)(iii)(A)(2)(i)</p>	<p>The sharps container can not be stored in a manner that limits its accessibility. This is to ensure that an employee will not be stuck while trying to place a sharp in the sharps container. Sharps containers should not be placed on the floor, or on countertops where upper cabinets obstruct access.</p>
<p>Employees with occupational exposure to bloodborne pathogens must be trained on the safety procedures related to blood or OPIM.</p> <p>29 CFR 1910.1030(d)(3)(viii)</p>	<p>Provide training identified in the sample bloodborne pathogen sample program (in the appendix) for each exposed employee. Training must be provided before initial exposure, and at least yearly thereafter. This training must provide site specific training as it relates to the exposure control plan and post-exposure evaluation and follow-up.</p> <ol style="list-style-type: none"> Employee training records must include the following: <ol style="list-style-type: none"> the dates of the training sessions; the contents or a summary of the training sessions; the names and qualifications of the persons conducting the training; and the names and job titles of all persons attending the training sessions. Training records must be maintained for at least 3 years from the date of the training. Make sure that your training program covers all the elements required by OSHA as specified in the bloodborne pathogens standard.
<p>Although not required by OSHA for <u>funeral homes</u>, a log to document sharps related injuries is recommended.</p>	<p>The sharps injury log must include:</p> <ol style="list-style-type: none"> The type and brand of device involved in the incident The department or work area where the exposure incident occurred An explanation of how the incident occurred

Complete text of OSHA Standard § 1910.1030 Bloodborne Pathogens

(a) **Scope and Application.** This section applies to all occupational exposure to blood or other potentially infectious materials as defined by paragraph (b) of this section.

(b) **Definitions.** For purposes of this section, the following shall apply:

Assistant Secretary means the Assistant Secretary of Labor for Occupational Safety and Health, or

designated representative.

Blood means human blood, human blood components, and products made from human blood.

Bloodborne Pathogens means pathogenic microorganisms that are present in human blood and can cause disease in humans. These pathogens include, but are not limited to, hepatitis B virus (HBV) and human immunodeficiency virus (HIV).

Clinical Laboratory means a workplace where diagnostic or other screening procedures are

performed on blood or other potentially infectious materials.

Contaminated means the presence or the reasonably anticipated presence of blood or other potentially infectious materials on an item or surface.

Contaminated Laundry means laundry which has been soiled with blood or other potentially infectious materials or may contain sharps.

Contaminated Sharps means any contaminated object that can penetrate the skin including, but not limited to, needles, scalpels, broken glass, broken capillary tubes, and exposed ends of dental wires.

Decontamination means the use of physical or chemical means to remove, inactivate, or destroy bloodborne pathogens on a surface or item to the point where they are no longer capable of transmitting infectious particles and the surface or item is rendered safe for handling, use, or disposal.

Director means the Director of the National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services, or designated representative.

Engineering controls means controls (e.g., sharps disposal containers, self-sheathing needles, safer medical devices, such as sharps with engineered sharps injury protections and needleless systems) that isolate or remove the bloodborne pathogens hazard from the workplace.

Exposure Incident means a specific eye, mouth, other mucous membrane, non-intact skin, or parenteral contact with blood or other potentially infectious materials that results from the performance of an employee's duties.

Handwashing Facilities means a facility providing an adequate supply of running potable water, soap and single use towels or hot air drying machines.

Licensed Healthcare Professional is a person whose legally permitted scope of practice allows him or her to independently perform the activities required by paragraph (f) Hepatitis B Vaccination and Post-exposure Evaluation and Follow-up.

HBV means hepatitis B virus.

HIV means human immunodeficiency virus.

Needleless systems means a device that does not use needles for:

- (1) The collection of bodily fluids or withdrawal of body fluids after initial venous or arterial access is established;
- (2) The administration of medication or fluids; or
- (3) Any other procedure involving the potential for occupational exposure to bloodborne

pathogens due to percutaneous injuries from contaminated sharps.

Occupational Exposure means reasonably anticipated skin, eye, mucous membrane, or parenteral contact with blood or other potentially infectious materials that may result from the performance of an employee's duties.

Other Potentially Infectious Materials means

- (1) The following human body fluids: semen, vaginal secretions, cerebrospinal fluid, synovial fluid, pleural fluid, pericardial fluid, peritoneal fluid, amniotic fluid, saliva in dental procedures, any body fluid that is visibly contaminated with blood, and all body fluids in situations where it is difficult or impossible to differentiate between body fluids;
- (2) Any unfixed tissue or organ (other than intact skin) from a human (living or dead); and
- (3) HIV-containing cell or tissue cultures, organ cultures, and HIV- or HBV-containing culture medium or other solutions; and blood, organs, or other tissues from experimental animals infected with HIV or HBV.

Parenteral means piercing mucous membranes or the skin barrier through such events as needlesticks, human bites, cuts, and abrasions.

Personal Protective Equipment is specialized clothing or equipment worn by an employee for protection against a hazard. General work clothes (e.g., uniforms, pants, shirts or blouses) not intended to function as protection against a hazard are not considered to be personal protective equipment.

Production Facility means a facility engaged in industrial-scale, large-volume or high concentration production of HIV or HBV.

Regulated Waste means liquid or semi-liquid blood or other potentially infectious materials; contaminated items that would release blood or other potentially infectious materials in a liquid or semi-liquid state if compressed; items that are caked with dried blood or other potentially infectious materials and are capable of releasing these materials during handling; contaminated sharps; and pathological and microbiological wastes containing blood or other potentially infectious materials.

Research Laboratory means a laboratory producing or using research-laboratory-scale amounts of HIV or HBV. Research laboratories may produce high concentrations of HIV or HBV but not in the volume found in production facilities.

Sharps with engineered sharps injury protections means a nonneedle sharp or a needle device used for

withdrawing body fluids, accessing a vein or artery, or administering medications or other fluids, with a built-in safety feature or mechanism that effectively reduces the risk of an exposure incident.

Source Individual means any individual, living or dead, whose blood or other potentially infectious materials may be a source of occupational exposure to the employee. Examples include, but are not limited to, hospital and clinic patients; clients in institutions for the developmentally disabled; trauma victims; clients of drug and alcohol treatment facilities; residents of hospices and nursing homes; human remains; and individuals who donate or sell blood or blood components.

Sterilize means the use of a physical or chemical procedure to destroy all microbial life including highly resistant bacterial endospores.

Universal Precautions is an approach to infection control. According to the concept of Universal Precautions, all human blood and certain human body fluids are treated as if known to be infectious for HIV, HBV, and other bloodborne pathogens.

Work Practice Controls means controls that reduce the likelihood of exposure by altering the manner in which a task is performed (e.g., prohibiting recapping of needles by a two-handed technique).

(c) Exposure control

(1) Exposure Control Plan.

- (i) Each employer having an employee(s) with occupational exposure as defined by paragraph (b) of this section shall establish a written Exposure Control Plan designed to eliminate or minimize employee exposure.
- (ii) The Exposure Control Plan shall contain at least the following elements:
 - (A) The exposure determination required by paragraph (c) (2),
 - (B) The schedule and method of implementation for paragraphs (d) Methods of Compliance, (e) HIV and HBV Research Laboratories and Production Facilities, (f) Hepatitis B Vaccination and Post-Exposure Evaluation and Follow-up, (g) Communication of Hazards to Employees, and (h) Recordkeeping, of

this standard, and

(C) The procedure for the evaluation of circumstances surrounding exposure incidents as required by paragraph (f) (3)(i) of this standard.

- (iii) Each employer shall ensure that a copy of the Exposure Control Plan is accessible to employees in accordance with 29 CFR 1910.20(e).
- (iv) The Exposure Control Plan shall be reviewed and updated at least annually and whenever necessary to reflect new or modified tasks and procedures which affect occupational exposure and to reflect new or revised employee positions with occupational exposure. The review and update of such plans shall also:
 - (A) Reflect changes in technology that eliminate or reduce exposure to bloodborne pathogens; and
 - (B) Document annually consideration and implementation of appropriate commercially available and effective safer medical devices designed to eliminate or minimize occupational exposure.
- (v) An employer, who is required to establish an Exposure Control Plan shall solicit input from non-managerial employees responsible for direct patient care who are potentially exposed to injuries from contaminated sharps in the identification, evaluation, and selection of effective engineering and work practice controls and shall document the solicitation in the Exposure Control Plan.
- (vi) The Exposure Control Plan shall be made available to the Assistant Secretary and the Director upon request for examination and copying.

(2) Exposure determination.

- (i) Each employer who has an employee(s) with occupational exposure as defined by paragraph (b) of this section shall prepare an exposure determination. This exposure determination shall contain the following:
 - (A) A list of all job classifications in

Exam Question

2. Per OSHA's Bloodborne Pathogens Standard, _____ is an approach to infection control. According to this concept, all human blood and certain human body fluids are treated as if known to be infectious for HIV, HBV, and other bloodborne pathogens.

- a. Exposure Incident
- b. Individual Source
- c. Occupational Exposure
- d. Universal Precautions

which all employees in those job classifications have occupational exposure;

- (B) A list of job classifications in which some employees have occupational exposure, and
- (C) A list of all tasks and procedures or groups of closely related task and procedures in which occupational exposure occurs and that are performed by employees in job classifications listed in accordance with the provisions of paragraph (c)(2)(i)(B) of this standard.

- (ii) This exposure determination shall be made without regard to the use of personal protective equipment.

(d) Methods of compliance

- (1) *General.* Universal precautions shall be observed to prevent contact with blood or other potentially infectious materials. Under circumstances in which differentiation between body fluid types is difficult or impossible, all body fluids shall be considered potentially infectious materials.

(2) *Engineering and work practice controls.*

- (i) Engineering and work practice controls shall be used to eliminate or minimize employee exposure. Where occupational exposure remains after institution of these controls, personal protective equipment shall also be used.
- (ii) Engineering controls shall be examined and maintained or replaced on a regular schedule to ensure their effectiveness.
- (iii) Employers shall provide handwashing facilities which are readily accessible to employees.
- (iv) When provision of handwashing facilities is not feasible, the employer shall provide either an appropriate antiseptic hand cleanser in conjunction with clean cloth/paper towels or antiseptic towelettes. When antiseptic hand cleansers or towelettes are used, hands shall be washed with soap and running water as soon as feasible.
- (v) Employers shall ensure that employees wash their hands immediately or as soon as feasible after removal of gloves or other personal protective equipment.
- (vi) Employers shall ensure that employees wash hands and any other skin with soap and water, or flush mucous membranes with water immediately or as soon as

feasible following contact of such body areas with blood or other potentially infectious materials.

- (vii) Contaminated needles and other contaminated sharps shall not be bent, recapped, or removed except as noted in paragraphs (d)(2)(vii)(A) and (d)(2)(vii)(B) below. Shearing or breaking of contaminated needles is prohibited.
 - (A) Contaminated needles and other contaminated sharps shall not be bent, recapped or removed unless the employer can demonstrate that no alternative is feasible or that such action is required by a specific medical or dental procedure.
 - (B) Such bending, recapping or needle removal must be accomplished through the use of a mechanical device or a one-handed technique.
- (viii) Immediately or as soon as possible after use, contaminated reusable sharps shall be placed in appropriate containers until properly reprocessed. These containers shall be:
 - (A) Puncture resistant;
 - (B) Labeled or color-coded in accordance with this standard;
 - (C) Leakproof on the sides and bottom; and
 - (D) In accordance with the requirements set forth in paragraph (d)(4)(ii)(E) for reusable sharps.
- (ix) Eating, drinking, smoking, applying cosmetics or lip balm, and handling contact lenses are prohibited in work areas where there is a reasonable likelihood of occupational exposure.
- (x) Food and drink shall not be kept in refrigerators, freezers, shelves, cabinets or on countertops or benchtops where blood or other potentially infectious materials are present.
- (xi) All procedures involving blood or other potentially infectious materials shall be performed in such a manner as to minimize splashing, spraying, splattering, and generation of droplets of these substances.
- (xii) Mouth pipetting/suctioning of blood or other potentially infectious materials is prohibited.
- (xiii) Specimens of blood or other potentially infectious materials shall be placed in a

container which prevents leakage during collection, handling, processing, storage, transport, or shipping.

(A) The container for storage, transport, or shipping shall be labeled or color-coded according to paragraph (g)(1)(i) and closed prior to being stored, transported, or shipped. When a facility utilizes Universal Precautions in the handling of all specimens, the labeling/color-coding of specimens is not necessary provided containers are recognizable as containing specimens. This exemption only applies while such specimens/containers remain within the facility. Labeling or color-coding in accordance with paragraph (g)(1)(i) is required when such specimens/containers leave the facility.

(B) If outside contamination of the primary container occurs, the primary container shall be placed within a second container which prevents leakage during handling, processing, storage, transport, or shipping and is labeled or color-coded according to the requirements of this standard.

(C) If the specimen could puncture the primary container, the primary container shall be placed within a secondary container which is puncture-resistant in addition to the above characteristics.

(xiv) Equipment which may become contaminated with blood or other potentially infectious materials shall be examined prior to servicing or shipping and shall be decontaminated as necessary, unless the employer can demonstrate that decontamination of such equipment or portions of such equipment is not feasible.

(A) A readily observable label in accordance with paragraph (g)(1)(i)(H) shall be attached to the equipment stating which portions remain contaminated.

(B) The employer shall ensure that this information is conveyed to all affected employees, the servicing representative, and/or the

manufacturer, as appropriate, prior to handling, servicing, or shipping so that appropriate precautions will be taken.

(3) Personal protective equipment

(i) Provision. When there is occupational exposure, the employer shall provide, at no cost to the employee, appropriate personal protective equipment such as, but not limited to, gloves, gowns, laboratory coats, face shields or masks and eye protection, and mouthpieces, resuscitation bags, pocket masks, or other ventilation devices. Personal protective equipment will be considered “appropriate” only if it does not permit blood or other potentially infectious materials to pass through to or reach the employee’s work clothes, street clothes, undergarments, skin, eyes, mouth, or other mucous membranes under normal conditions of use and for the duration of time which the protective equipment will be used.

(ii) Use. The employer shall ensure that the employee uses appropriate personal protective equipment unless the employer shows that the employee temporarily and briefly declined to use personal protective equipment when, under rare and extraordinary circumstances, it was the employee’s professional judgment that in the specific instance its use would have prevented the delivery of health care or public safety services or would have posed an increased hazard to the safety of the worker or co-worker. When the employee makes this judgment, the circumstances shall be investigated and documented in order to determine whether changes can be instituted to prevent such occurrences in the future.

(iii) Accessibility. The employer shall ensure that appropriate personal protective equipment in the appropriate sizes is readily accessible at the work-site or is issued to employees. Hypoallergenic gloves, glove liners, powderless gloves, or other similar alternatives shall be readily accessible to those employees who are allergic to the gloves normally provided.

(iv) Cleaning, Laundering, and Disposal. The employer shall clean, launder, and dispose of

Exam Question

3. When there is occupational exposure, the employer shall provide, _____, appropriate personal protective equipment such as, but not limited to, gloves, gowns, laboratory coats, face shields or masks and eye protection, and mouthpieces, resuscitation bags, pocket masks, or other ventilation devices.

- At a discount
- At no cost to the employee
- At the lowest available wholesale price
- All of the above

of personal protective equipment required by paragraphs (d) and (e) of this standard, at no cost to the employee.

- (v) Repair and Replacement. The employer shall repair or replace personal protective equipment as needed to maintain its effectiveness, at no cost to the employee.
- (vi) If a garment(s) is penetrated by blood or other potentially infectious materials, the garment(s) shall be removed immediately or as soon as feasible.
- (vii) All personal protective equipment shall be removed prior to leaving the work area.
- (viii) When personal protective equipment is removed it shall be placed in an appropriately designated area or container for storage, washing, decontamination or disposal.
- (ix) Gloves. Gloves shall be worn when it can be reasonably anticipated that the employee may have hand contact with blood, other potentially infectious materials, mucous membranes, and non-intact skin; when performing vascular access procedures except as specified in paragraph (d)(3)(ix)(D); and when handling or touching contaminated items or surfaces.
 - (A) Disposable (single use) gloves such as surgical or examination gloves, shall be replaced as soon as practical when contaminated or as soon as feasible if they are torn, punctured, or when their ability to function as a barrier is compromised.
 - (B) Disposable (single use) gloves shall not be washed or decontaminated for re-use.
 - (C) Utility gloves may be decontaminated for re-use if the integrity of the glove is not compromised. However, they must be discarded if they are cracked, peeling, torn, punctured, or exhibit other signs of deterioration or when their ability to function as a barrier is compromised.
 - (D) If an employer in a volunteer blood donation center judges that routine gloving for all phlebotomies is not

necessary then the employer shall:

- (1) Periodically re-evaluate this policy;
- (2) Make gloves available to all employees who wish to use them for phlebotomy;
- (3) Not discourage the use of gloves for phlebotomy; and
- (4) Require that gloves be used for phlebotomy in the following circumstances:
 - (i) When the employee has cuts, scratches, or other breaks in his or her skin;
 - (ii) When the employee judges that hand contamination with blood may occur, for example, when performing phlebotomy on an uncooperative source individual; and
 - (iii) When the employee is receiving training in phlebotomy.
- (x) Masks, Eye Protection, and Face Shields. Masks in combination with eye protection devices, such as goggles or glasses with solid side shields, or chin-length face shields, shall be worn whenever splashes, spray, spatter, or drop-lets of blood or other potentially infectious materials may be generated and eye, nose, or mouth contamination can be reasonably anticipated.
- (xi) Gowns, Aprons, and Other Protective Body Clothing. Appropriate protective clothing such as, but not limited to, gowns, aprons, lab coats, clinic jackets, or similar outer garments shall be worn in occupational exposure situations. The type and characteristics will depend upon the task and degree of exposure anticipated.
- (xii) Surgical caps or hoods and/or shoe covers or boots shall be worn in instances when gross contamination can reasonably be anticipated (e.g., autopsies, orthopaedic surgery).
- (4) Housekeeping
 - (i) General. Employers shall ensure that the

Exam Question

4. Disposable (single use) gloves, such as surgical or examination gloves, _____.
- a. May be decontaminated for re-use if the integrity of the glove is not compromised
 - b. May be washed for re-use if not showing signs of deterioration
 - c. Shall not be washed or decontaminated for re-use
 - d. None of the above

worksite is maintained in a clean and sanitary condition. The employer shall determine and implement an appropriate written schedule for cleaning and method of decontamination based upon the location within the facility, type of surface to be cleaned, type of soil present, and tasks or procedures being performed in the area.

- (ii) All equipment and environmental and working surfaces shall be cleaned and decontaminated after contact with blood or other potentially infectious materials.
 - (A) Contaminated work surfaces shall be decontaminated with an appropriate disinfectant after completion of procedures; immediately or as soon as feasible when surfaces are overtly contaminated or after any spill of blood or other potentially infectious materials; and at the end of the work shift if the surface may have become contaminated since the last cleaning.
 - (B) Protective coverings, such as plastic wrap, aluminum foil, or imperviously-backed absorbent paper used to cover equipment and environmental surfaces, shall be removed and replaced as soon as feasible when they become overtly contaminated or at the end of the work shift if they may have become contaminated during the shift.
 - (C) All bins, pails, cans, and similar receptacles intended for reuse which have a reasonable likelihood for becoming contaminated with blood or other potentially infectious materials shall be inspected and decontaminated on a regularly scheduled basis and cleaned and decontaminated immediately or as soon as feasible upon visible contamination.
 - (D) Broken glassware which may be contaminated shall not be picked up directly with the hands. It shall be cleaned up using mechanical means, such as a brush and dust pan, tongs, or forceps.
 - (E) Reusable sharps that are contaminated with blood or other potentially infectious materials shall not be stored or processed in a manner that requires employees to reach by hand into the containers where these sharps have been placed.

(iii) Regulated Waste

(A) Contaminated Sharps Discarding and Containment.

- (1) Contaminated sharps shall be discarded immediately or as soon as feasible in containers that are:
 - (i) Closable;
 - (ii) Puncture resistant;
 - (iii) Leakproof on sides and bottom; and
 - (iv) Labeled or color-coded in accordance with paragraph (g) (1)(i) of this standard.
- (2) During use, containers for contaminated sharps shall be:
 - (i) Easily accessible to personnel and located as close as is feasible to the immediate area where sharps are used or can be reasonably anticipated to be found (e.g., laundries);
 - (ii) Maintained upright throughout use; and
 - (iii) Replaced routinely and not be allowed to overfill.
- (3) When moving containers of contaminated sharps from the area of use, the containers shall be:
 - (i) Closed immediately prior to removal or replacement to prevent spillage or protrusion of contents during handling, storage, transport, or shipping;
 - (ii) Placed in a secondary container if leakage is possible. The second container shall be:
 - (A) Closable;
 - (B) Constructed to contain all contents and prevent leakage during handling, storage, transport, or shipping; and
 - (C) Labeled or color-coded according to paragraph (g) (1)(i) of this standard.
- (4) Reusable containers shall not be opened, emptied, or cleaned manually or in any other manner which would expose employees to the risk of percutaneous injury.

(B) Other Regulated Waste Containment

- (1) Regulated waste shall be placed in containers which are:
 - (i) Closable;
 - (ii) Constructed to contain all contents and prevent leakage of fluids during handling, storage, transport or shipping;
 - (iii) Labeled or color-coded in accordance with paragraph (g)(1)(i) this standard; and
 - (iv) Closed prior to removal to prevent spillage or protrusion of contents during handling, storage, transport, or shipping.

(2) If outside contamination of the regulated waste container occurs, it shall be placed in a second container. The second container shall be:

- (i) Closable;
- (ii) Constructed to contain all contents and prevent leakage of fluids during handling, storage, transport or shipping;
- (iii) Labeled or color-coded in accordance with paragraph (g)(1)(i) of this standard; and
- (iv) Closed prior to removal to prevent spillage or protrusion of contents during handling, storage, transport, or shipping.

(C) Disposal of all regulated waste shall be in accordance with applicable regulations of the United States, States and Territories, and political subdivisions of States and Territories.

(iv) Laundry.

(A) Contaminated laundry shall be handled as little as possible with a minimum of agitation.

- (1) Contaminated laundry shall be bagged or containerized at the location where it was used and shall not be sorted or rinsed in the location of use.
- (2) Contaminated laundry shall be placed and transported in bags or containers labeled or color-coded in accordance with paragraph (g)(1)(i) of this standard. When a facility utilizes Universal Precautions in the handling of all soiled laundry, alternative labeling or color-coding is sufficient if it permits

all employees to recognize the containers as requiring compliance with Universal Precautions.

(3) Whenever contaminated laundry is wet and presents a reasonable likelihood of soak-through or leakage from the bag or container, the laundry shall be placed and transported in bags or containers which prevent soak-through and/or leakage of fluids to the exterior.

(B) The employer shall ensure that employees who have contact with contaminated laundry wear protective gloves and other appropriate personal protective equipment.

(C) When a facility ships contaminated laundry off-site to a second facility which does not utilize Universal Precautions in the handling of all laundry, the facility generating the contaminated laundry must place such laundry in bags or containers which are labeled or color-coded in accordance with paragraph (g)(1)(i).

(e) HIV and HBV Research Laboratories and Production Facilities.

(1) This paragraph applies to research laboratories and production facilities engaged in the culture, production, concentration, experimentation, and manipulation of HIV and HBV. It does not apply to clinical or diagnostic laboratories engaged solely in the analysis of blood, tissues, or organs. These requirements apply in addition to the other requirements of the standard.

(2) Research laboratories and production facilities shall meet the following criteria:

(i) Standard microbiological practices. All regulated waste shall either be incinerated or decontaminated by a method such as autoclaving known to effectively destroy bloodborne pathogens.

(ii) Special practices.

(A) Laboratory doors shall be kept closed when work involving HIV or HBV is in progress.

(B) Contaminated materials that are to be decontaminated at a site away from the work area shall be placed in a durable, leakproof, labeled or color-coded container that is closed before being removed from the work area.

(C) Access to the work area shall be limited to authorized persons. Written policies

and procedures shall be established whereby only persons who have been advised of the potential bio-hazard, who meet any specific entry requirements, and who comply with all entry and exit procedures shall be allowed to enter the work areas and animal rooms.

- (D) When other potentially infectious materials or infected animals are present in the work area or containment module, a hazard warning sign incorporating the universal biohazard symbol shall be posted on all access doors. The hazard warning sign shall comply with paragraph (g)(1)(ii) of this standard.
 - (E) All activities involving other potentially infectious materials shall be conducted in biological safety cabinets or other physical-containment devices within the containment module. No work with these other potentially infectious materials shall be conducted on the open bench.
 - (F) Laboratory coats, gowns, smocks, uniforms, or other appropriate protective clothing shall be used in the work area and animal rooms. Protective clothing shall not be worn outside of the work area and shall be decontaminated before being laundered.
 - (G) Special care shall be taken to avoid skin contact with other potentially infectious materials. Gloves shall be worn when handling infected animals and when making hand contact with other potentially infectious materials is unavoidable.
 - (H) Before disposal all waste from work areas and from animal rooms shall either be incinerated or decontaminated by a method such as autoclaving known to effectively destroy bloodborne pathogens.
 - (I) Vacuum lines shall be protected with liquid disinfectant traps and high-efficiency particulate air (HEPA) filters or filters of equivalent or superior efficiency and which are checked routinely and maintained or replaced as necessary.
 - (J) Hypodermic needles and syringes shall be used only for parenteral injection and aspiration of fluids from laboratory animals and diaphragm bottles. Only needle-locking syringes or disposable syringe-needle units (i.e., the needle is integral to the syringe) shall be used for the injection or aspiration of other potentially infectious materials. Extreme caution shall be used when handling needles and syringes. A needle shall not be bent, sheared, replaced in the sheath or guard, or removed from the syringe following use. The needle and syringe shall be promptly placed in a puncture-resistant container and autoclaved or decontaminated before reuse or disposal.
 - (K) All spills shall be immediately contained and cleaned up by appropriate professional staff or others properly trained and equipped to work with potentially concentrated infectious materials.
 - (L) A spill or accident that results in an exposure incident shall be immediately reported to the laboratory director or other responsible person.
 - (M) A biosafety manual shall be prepared or adopted and periodically reviewed and updated at least annually or more often if necessary. Personnel shall be advised of potential hazards, shall be required to read instructions on practices and procedures, and shall be required to follow them.
- (iii) Containment equipment.
- (A) Certified biological safety cabinets (Class I, II, or III) or other appropriate combinations of personal protection or physical containment devices, such as special protective clothing, respirators, centrifuge safety cups, sealed centrifuge rotors, and containment caging for animals, shall be used for all activities with other potentially infectious materials that pose a threat of exposure to droplets, splashes, spills, or aerosols.
 - (B) Biological safety cabinets shall be certified when installed, whenever they are moved and at least annually.
- (3) HIV and HBV research laboratories shall meet the following criteria:
- (i) Each laboratory shall contain a facility for hand washing and an eye wash facility which is readily available within the work area.
 - (ii) An autoclave for decontamination of regulated waste shall be available.
- (4) HIV and HBV production facilities shall meet the following criteria:

- (i) The work areas shall be separated from areas that are open to unrestricted traffic flow within the building. Passage through two sets of doors shall be the basic requirement for entry into the work area from access corridors or other contiguous areas. Physical separation of the high-containment work area from access corridors or other areas or activities may also be provided by a double-doored clothes-change room (showers may be included), airlock, or other access facility that requires passing through two sets of doors before entering the work area.
- (ii) The surfaces of doors, walls, floors and ceilings in the work area shall be water resistant so that they can be easily cleaned. Penetrations in these surfaces shall be sealed or capable of being sealed to facilitate decontamination.
- (iii) Each work area shall contain a sink for washing hands and a readily available eye wash facility. The sink shall be foot, elbow, or automatically operated and shall be located near the exit door of the work area.
- (iv) Access doors to the work area or containment module shall be self-closing.
- (v) An autoclave for decontamination of regulated waste shall be available within or as near as possible to the work area.
- (vi) A ducted exhaust-air ventilation system shall be provided. This system shall create directional airflow that draws air into the work area through the entry area. The exhaust air shall not be recirculated to any other area of the building, shall be discharged to the outside, and shall be dispersed away from occupied areas and air intakes. The proper direction of the airflow shall be verified (i.e., into the work area).

(5) Training Requirements. Additional training requirements for employees in HIV and HBV research laboratories and HIV and HBV production facilities are specified in paragraph (g)(2)(ix).

(f) Hepatitis B vaccination and post-exposure evaluation and follow-up

(1) General.

- (i) The employer shall make available the hepatitis B vaccine and vaccination series to all employees who have occupational exposure, and post-exposure evaluation and follow-up to all employees who have had an exposure incident.
- (ii) The employer shall ensure that all medical evaluations and procedures including the hepatitis B vaccine and vaccination series and post-exposure evaluation and follow-up, including prophylaxis, are:
 - (A) Made available at no cost to the employee;
 - (B) Made available to the employee at a reasonable time and place;
 - (C) Performed by or under the supervision of a licensed physician or by or under the supervision of another licensed healthcare professional; and
 - (D) Provided according to recommendations of the U.S. Public Health Service current at the time these evaluations and procedures take place, except as specified by this paragraph (f).
- (iii) The employer shall ensure that all laboratory tests are conducted by an accredited laboratory at no cost to the employee.

(2) Hepatitis B Vaccination.

- (i) Hepatitis B vaccination shall be made available after the employee has received the training required in paragraph (g)(2)(vii)(I) and within 10 working days of initial assignment to all employees who have occupational exposure unless the employee has previously received the complete hepatitis B vaccination series, antibody testing has revealed that the employee is immune, or the vaccine is contraindicated for medical reasons.
- (ii) The employer shall not make participation in a prescreening program a prerequisite for receiving hepatitis B vaccination.
- (iii) If the employee initially declines hepatitis B vaccination but at a later date while still

Exam Question

5. Which statement regarding "Hepatitis B vaccination and post-exposure evaluation and follow-up" is FALSE?

- a. The employer shall make available the hepatitis B vaccine and vaccination series to all employees who have occupational exposure
- b. The employer shall make available post-exposure evaluation and follow-up to all employees who have had an exposure incident.
- c. The employer shall ensure that all laboratory tests are conducted by an accredited laboratory and deducted pre-tax from the affected employee's pay
- d. All of the above

covered under the standard decides to accept the vaccination, the employer shall make available hepatitis B vaccination at that time.

- (iv) The employer shall assure that employees who decline to accept hepatitis B vaccination offered by the employer sign the statement in appendix A.
 - (v) If a routine booster dose(s) of hepatitis B vaccine is recommended by the U.S. Public Health Service at a future date, such booster dose(s) shall be made available in accordance with section (f)(1)(ii).
- (3) Post-exposure Evaluation and Follow-up. Following a report of an exposure incident, the employer shall make immediately available to the exposed employee a confidential medical evaluation and follow-up, including at least the following elements:
- (i) Documentation of the route(s) of exposure, and the circumstances under which the exposure incident occurred;
 - (ii) Identification and documentation of the source individual, unless the employer can establish that identification is infeasible or prohibited by state or local law;
 - (A) The source individual's blood shall be tested as soon as feasible and after consent is obtained in order to determine HBV and HIV infectivity. If consent is not obtained, the employer shall establish that legally required consent cannot be obtained. When the source individual's consent is not required by law, the source individual's blood, if available, shall be tested and the results documented.
 - (B) When the source individual is already known to be infected with HBV or HIV, testing for the source individual's known HBV or HIV status need not be repeated.
 - (C) Results of the source individual's testing shall be made available to the exposed employee, and the employee shall be informed of applicable laws and regulations concerning disclosure of the identity and infectious status of the source individual.
 - (iii) Collection and testing of blood for HBV and HIV serological status;
 - (A) The exposed employee's blood shall be collected as soon as feasible and tested after consent is obtained.
 - (B) If the employee consents to base-line blood collection, but does not give consent at that time for HIV serologic testing, the sample shall be preserved for at least 90 days. If, within 90 days of the exposure incident, the employee elects to have the baseline sample tested, such testing shall be done as soon as feasible.
- (iv) Post-exposure prophylaxis, when medically indicated, as recommended by the U.S. Public Health Service;
- (v) Counseling; and
- (vi) Evaluation of reported illnesses.
- (4) Information Provided to the Healthcare Professional.
- (i) The employer shall ensure that the healthcare professional responsible for the employee's Hepatitis B vaccination is provided a copy of this regulation.
 - (ii) The employer shall ensure that the healthcare professional evaluating an employee after an exposure incident is provided the following information:
 - (A) A copy of this regulation;
 - (B) A description of the exposed employee's duties as they relate to the exposure incident;
 - (C) Documentation of the route(s) of exposure and circumstances under which exposure occurred;
 - (D) Results of the source individual's blood testing, if available; and
 - (E) All medical records relevant to the appropriate treatment of the employee including vaccination status which are the employer's responsibility to maintain.
- (5) Healthcare Professional's Written Opinion. The employer shall obtain and provide the employee with a copy of the evaluating healthcare professional's written opinion within 15 days of the completion of the evaluation.
- (i) The healthcare professional's written opinion for Hepatitis B vaccination shall be limited to whether Hepatitis B vaccination is indicated for an employee, and if the employee has received such vaccination.
 - (ii) The healthcare professional's written opinion for post-exposure evaluation and follow-up shall be limited to the following information:

- (A) That the employee has been informed of the results of the evaluation; and
 - (B) That the employee has been told about any medical conditions resulting from exposure to blood or other potentially infectious materials which require further evaluation or treatment.
- (iii) All other findings or diagnoses shall remain confidential and shall not be included in the written report.
- (6) Medical recordkeeping. Medical records required by this standard shall be maintained in accordance with paragraph (h)(1) of this section.

(g) Communication of hazards to employees

(1) Labels and signs

(i) Labels.

- (A) Warning labels shall be affixed to containers of regulated waste, refrigerators and freezers containing blood or other potentially infectious material; and other containers used to store, transport or ship blood or other potentially infectious materials, except as provided in paragraph (g)(1)(i)(E), (F) and (G).
- (B) Labels required by this section shall include the following legend:



BIOHAZARD

- (C) These labels shall be fluorescent orange or orange-red or predominantly so, with lettering and symbols in a contrasting color.
- (D) Labels shall be affixed as close as feasible to the container by string, wire, adhesive, or other method that prevents their loss or unintentional removal.
- (E) Red bags or red containers may be substituted for labels.
- (F) Containers of blood, blood components, or blood products that are labeled as to their contents and have been released for transfusion or other clinical use are exempted from the

labeling requirements of paragraph (g).

- (G) Individual containers of blood or other potentially infectious materials that are placed in a labeled container during storage, transport, shipment or disposal are exempted from the labeling requirement.
 - (H) Labels required for contaminated equipment shall be in accordance with this paragraph and shall also state which portions of the equipment remain contaminated.
 - (I) Regulated waste that has been decontaminated need not be labeled or color-coded.
- (ii) Signs.
- (A) The employer shall post signs at the entrance to work areas specified in paragraph (e), HIV and HBV Research Laboratory and Production Facilities, which shall bear the following legend:



BIOHAZARD

- (Name of the Infectious Agent)
- (Special requirements for entering the area)
- (Name, telephone number of the laboratory director or other responsible person.)
- (B) These signs shall be fluorescent orange-red or predominantly so, with lettering and symbols in a contrasting color.

(2) Information and Training.

- (i) The employer shall train each employee with occupational exposure in accordance with the requirements of this section. Such training must be provided at no cost to the employee and during working hours. The employer shall institute a training program and ensure employee participation in the program.
- (ii) Training shall be provided as follows:
 - (A) At the time of initial assignment to tasks where occupational exposure may take place;
 - (B) At least annually thereafter.

- (iii) [Reserved]
- (iv) Annual training for all employees shall be provided within one year of their previous training.
- (v) Employers shall provide additional training when changes such as modification of tasks or procedures or institution of new tasks or procedures affect the employee's occupational exposure. The additional training may be limited to addressing the new exposures created.
- (vi) Material appropriate in content and vocabulary to educational level, literacy, and language of employees shall be used.
- (vii) The training program shall contain at a minimum the following elements:
 - (A) An accessible copy of the regulatory text of this standard and an explanation of its contents;
 - (B) A general explanation of the epidemiology and symptoms of bloodborne diseases;
 - (C) An explanation of the modes of transmission of bloodborne pathogens;
 - (D) An explanation of the employer's exposure control plan and the means by which the employee can obtain a copy of the written plan;
 - (E) An explanation of the appropriate methods for recognizing tasks and other activities that may involve exposure to blood and other potentially infectious materials;
 - (F) An explanation of the use and limitations of methods that will prevent or reduce exposure including appropriate engineering controls, work practices, and personal protective equipment;
 - (G) Information on the types, proper use, location, removal, handling, decontamination and disposal of personal protective equipment;
 - (H) An explanation of the basis for selection of personal protective equipment;
 - (I) Information on the hepatitis B vaccine, including information on its efficacy, safety, method of administration, the benefits of being vaccinated, and that the vaccine and vaccination will be offered free of charge;
 - (J) Information on the appropriate actions to take and persons to contact in an emergency involving blood or other potentially infectious materials;
 - (K) An explanation of the procedure to follow if an exposure incident occurs, including the method of reporting the incident and the medical follow-up that will be made available;
 - (L) Information on the post-exposure evaluation and follow-up that the employer is required to provide for the employee following an exposure incident;
 - (M) An explanation of the signs and labels and/or color coding required by paragraph (g)(1); and
 - (N) An opportunity for interactive questions and answers with the person conducting the training session.
- (viii) The person conducting the training shall be knowledgeable in the subject matter covered by the elements contained in the training program as it relates to the workplace that the training will address.
- (ix) *Additional Initial Training for Employees in HIV and HBV Laboratories and Production Facilities.* Employees in HIV or HBV research laboratories and HIV or HBV production facilities shall receive the following initial training in addition to the above training requirements.
 - (A) The employer shall assure that employees demonstrate proficiency in standard microbiological practices and techniques and in the practices and operations specific to the facility before being allowed to work with HIV or HBV.
 - (B) The employer shall assure that employees have prior experience in the handling of human pathogens or tissue cultures before working with HIV or HBV.
 - (C) The employer shall provide a training program to employees who have no prior experience in handling human pathogens. Initial work activities shall not include the handling of infectious agents. A progression of work activities shall be assigned as techniques are learned and proficiency is developed. The employer shall assure that employees participate in work activities involving infectious agents only after proficiency has been demonstrated.

(h) Recordkeeping

(1) Medical Records.

- (i) The employer shall establish and maintain an accurate record for each employee with occupational exposure, in accordance with 29 CFR 1910.1020.
- (ii) This record shall include:
 - (A) The name and social security number of the employee;
 - (B) A copy of the employee's hepatitis B vaccination status including the dates of all the hepatitis B vaccinations and any medical records relative to the employee's ability to receive vaccination as required by paragraph (f)(2);
 - (C) A copy of all results of examinations, medical testing, and follow-up procedures as required by paragraph (f)(3);
 - (D) The employer's copy of the healthcare professional's written opinion as required by paragraph (f)(5); and
 - (E) A copy of the information provided to the healthcare professional as required by paragraphs (f)(4)(ii)(B)(C) and (D).
- (iii) Confidentiality. The employer shall ensure that employee medical records required by paragraph (h)(1) are:
 - (A) Kept confidential; and
 - (B) Not disclosed or reported without the employee's express written consent to any person within or outside the workplace except as required by this section or as may be required by law.
- (iv) The employer shall maintain the records required by paragraph (h) for at least the duration of employment plus 30 years in accordance with 29 CFR 1910.1020.

(2) Training Records.

- (i) Training records shall include the following information:
 - (A) The dates of the training sessions;
 - (B) The contents or a summary of the training sessions;
 - (C) The names and qualifications of persons conducting the training; and
 - (D) The names and job titles of all persons attending the training sessions.
- (ii) Training records shall be maintained for 3 years from the date on which the training occurred.

(3) Availability.

- (i) The employer shall ensure that all records required to be maintained by this section shall be made available upon request to the Assistant Secretary and the Director for examination and copying.
- (ii) Employee training records required by this paragraph shall be provided upon request for examination and copying to employees, to employee representatives, to the Director, and to the Assistant Secretary.
- (iii) Employee medical records required by this paragraph shall be provided upon request for examination and copying to the subject employee, to anyone having written consent of the subject employee, to the Director, and to the Assistant Secretary in accordance with 29 CFR 1910.1020.

(4) Transfer of Records. The employer shall comply with the requirements involving transfer of records set forth in 29 CFR 1910.1020(h).

(5) Sharps injury log.

- (i) The employer shall establish and maintain a sharps injury log for the recording of percutaneous injuries from contaminated sharps. The information in the sharps injury log shall be recorded and maintained in such manner as to protect the confidentiality of the injured employee. The sharps injury log shall contain, at a minimum:
 - (A) The type and brand of device involved in the incident,
 - (B) The department or work area where the exposure incident occurred, and
 - (C) An explanation of how the incident occurred.
- (ii) The requirement to establish and maintain a sharps injury log shall apply to any employer who is required to maintain a log of occupational injuries and illnesses under 29 FR 1904.
- (iii) The sharps injury log shall be maintained for the period required by 29 CFR 1904.6.

(i) Dates

- (1) Effective Date. The standard shall become effective on March 6, 1992.
- (2) The Exposure Control Plan required by paragraph (c) of this section shall be completed on or before May 5, 1992.
- (3) Paragraphs (g)(2) Information and Training and (h) Recordkeeping of this section shall take effect on or before June 4, 1992.

- (4) Paragraphs (d)(2) Engineering and Work Practice Controls, (d)(3) Personal Protective Equipment, (d)(4) Housekeeping, (e) HIV and HBV Research Laboratories and Production Facilities, (f) Hepatitis B Vaccination and Post-Exposure Evaluation and Follow-up, and (g)(1) Labels and Signs of this section, shall take effect July 6, 1992.

2011; 77 FR 19934, April 3, 2012]

Compliance with OSHA Hazard Communication Standard

Introduction to the OSHA Hazard Communication Standard

Companies using hazardous chemicals must implement a “Hazard Communication Program” for their facilities. The purpose of the program is to provide employees with information necessary to protect themselves from the physical and health hazards associated with using the chemicals.

Compliance Requirements for Funeral Homes

Funeral homes use hazardous chemicals for embalming, disinfecting surfaces and equipment, and for other purposes. The compliance requirements for OSHA’s Hazard Communication standard are given in the following table. Please be aware that this OSHA standard refers specifically to CHEMICAL hazards, and is not intended to cover ALL hazards in the workplace. Of the chemicals used in the funeral home business, you should pay particular attention to embalming fluids, and to the chemicals used for disinfecting equipment and surfaces. Products with formaldehyde require special training, which is specified in the section of this report concerning the OSHA Formaldehyde standard.

APPENDIX A TO SECTION 1910.1030— HEPATITIS B VACCINE DECLINATION (MANDATORY)

I understand that due to my occupational exposure to blood or other potentially infectious materials I may be at risk of acquiring hepatitis B virus (HBV) infection. I have been given the opportunity to be vaccinated with hepatitis B vaccine, at no charge to myself. However, I decline hepatitis B vaccination at this time. I understand that by declining this vaccine, I continue to be at risk of acquiring hepatitis B, a serious disease. If in the future I continue to have occupational exposure to blood or other potentially infectious materials and I want to be vaccinated with hepatitis B vaccine, I can receive the vaccination series at no charge to me.

[56 FR 64004, Dec. 06, 1991, as amended at 57 FR 12717, April 13, 1992; 57 FR 29206, July 1, 1992; 61 FR 5507, Feb. 13, 1996; 66 FR 5325 Jan., 18, 2001; 71 FR 16672 and 16673, April 3, 2006; 73 FR 75586, Dec. 12, 2008; 76 FR 33608, June 8, 2011; 76 FR 80740, Dec. 27,

Hazard Communication Action Items	
Hazardous Condition or Requirement	Recommended Corrective Actions
Document the hazard communication program for your facility in writing. 29 CFR 1910.1200(e)(1)	Document a hazard communication program specific to your facility. Address how labeling, SDSs, and training requirements will be met and include a list of hazardous chemicals used at the facility.
In your written hazard communication program, list all of the hazardous chemicals used at your facility. 29 CFR 1910.1200(e)(1)(i)	Develop a list of all hazardous chemicals in the facility and keep it with the written program. Update the list whenever new hazardous chemicals are brought into the facility.
Ensure that all containers of hazardous chemicals are properly labeled. 29 CFR 1910.1200(f)(5)(i) and (ii)	Ensure that all containers of hazardous materials entering the facility are appropriately labeled with the name of the material, a hazard warning, and name and address of the manufacturer or other responsible party. If hazardous materials are transferred to a container other than the original, ensure that the secondary container has a label with identity and hazard warnings.
Obtain an SDS for each hazardous chemical used at the facility. 29 CFR 1910.1200(g)(8)	Obtain and maintain a file of SDSs for all hazardous chemicals used at the facility. They can be obtained from the manufacturer, distributor, or supplier.
Train all employees about the hazards of the chemicals with which they worked. 29 CFR 1910.1200(h)(1)	Train employees about the hazardous chemicals present in their work area. Train them at the time of initial assignment to a job using hazardous chemicals and whenever a new hazardous chemical is introduced. NOTE: Formaldehyde hazard training must be repeated annually.

Complete text of OSHA Standard § 1910.1200 Hazard communication (without Appendices)

(a) Purpose

- (1) The purpose of this section is to ensure that the hazards of all chemicals produced or imported are classified, and that information concerning the classified hazards is transmitted to employers and employees. The requirements of this section are intended to be consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS), Revision 3. The transmittal of information is to be accomplished by means of comprehensive hazard communication programs, which are to include container labeling and other forms of warning, safety data sheets and employee training.
- (2) This occupational safety and health standard is intended to address comprehensively the issue of classifying the potential hazards of chemicals, and communicating information concerning hazards and appropriate protective measures to employees, and to preempt any legislative or regulatory enactments of a state, or political subdivision of a state, pertaining to this subject. Classifying the potential hazards of chemicals and communicating information concerning hazards and appropriate protective measures to employees, may include, for example, but is not limited to, provisions for: developing and maintaining a written hazard communication program for the workplace, including lists of hazardous chemicals present; labeling of containers of chemicals in the workplace, as well as of containers of chemicals being shipped to other workplaces; preparation and distribution of safety data sheets to employees and downstream employers; and development and implementation of employee training programs regarding hazards of chemicals and protective measures. Under section 18 of the Act, no state or political subdivision of a state may adopt or enforce any requirement relating to the issue addressed by this Federal standard, except pursuant to a Federally-approved state plan.

(b) Scope and application.

- (1) This section requires chemical manufacturers or importers to classify the hazards of chemicals which they produce or import, and all employers to provide information to their employees about the hazardous chemicals to which they are exposed, by means of a hazard communication program, labels and other forms of warning, safety data sheets, and information and training. In addition, this section requires

distributors to transmit the required information to employers. (Employers who do not produce or import chemicals need only focus on those parts of this rule that deal with establishing a workplace program and communicating information to their workers.)

- (2) This section applies to any chemical which is known to be present in the workplace in such a manner that employees may be exposed under normal conditions of use or in a foreseeable emergency.
- (3) This section applies to laboratories only as follows:
 - (i) Employers shall ensure that labels on incoming containers of hazardous chemicals are not removed or defaced;
 - (ii) Employers shall maintain any safety data sheets that are received with incoming shipments of hazardous chemicals, and ensure that they are readily accessible during each workshift to laboratory employees when they are in their work areas;
 - (iii) Employers shall ensure that laboratory employees are provided information and training in accordance with paragraph (h) of this section, except for the location and availability of the written hazard communication program under paragraph (h)(2)(iii) of this section; and,
 - (iv) Laboratory employers that ship hazardous chemicals are considered to be either a chemical manufacturer or a distributor under this rule, and thus must ensure that any containers of hazardous chemicals leaving the laboratory are labeled in accordance with paragraph (f) of this section, and that a safety data sheet is provided to distributors and other employers in accordance with paragraphs (g)(6) and (g)(7) of this section.
- (4) In work operations where employees only handle chemicals in sealed containers which are not opened under normal conditions of use (such as are found in marine cargo handling, warehousing, or retail sales), this section applies to these operations only as follows:
 - (i) Employers shall ensure that labels on incoming containers of hazardous chemicals are not removed or defaced;
 - (ii) Employers shall maintain copies of any safety data sheets that are received with incoming shipments of the sealed containers of hazardous chemicals, shall obtain a safety data sheet as soon as possible for sealed containers of hazardous

chemicals received without a safety data sheet if an employee requests the safety data sheet, and shall ensure that the safety data sheets are readily accessible during each work shift to employees when they are in their work area(s); and,

- (iii) Employers shall ensure that employees are provided with information and training in accordance with paragraph (h) of this section (except for the location and availability of the written hazard communication program under paragraph (h)(2)(iii) of this section), to the extent necessary to protect them in the event of a spill or leak of a hazardous chemical from a sealed container.
- (5) This section does not require labeling of the following chemicals:
- (i) Any pesticide as such term is defined in the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. 136 et seq.), when subject to the labeling requirements of that Act and labeling regulations issued under that Act by the Environmental Protection Agency;
 - (ii) Any chemical substance or mixture as such terms are defined in the Toxic Substances Control Act (15 U.S.C. 2601 et seq.), when subject to the labeling requirements of that Act and labeling regulations issued under that Act by the Environmental Protection Agency;
 - (iii) Any food, food additive, color additive, drug, cosmetic, or medical or veterinary device or product, including materials intended for use as ingredients in such products (e.g. flavors and fragrances), as such terms are defined in the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 301 et seq.) or the Virus-Serum-Toxin Act of 1913 (21 U.S.C. 151 et seq.), and regulations issued under those Acts, when they are subject to the labeling requirements under those Acts by either the Food and Drug Administration or the Department of Agriculture;
 - (iv) Any distilled spirits (beverage alcohols), wine, or malt beverage intended for non-industrial use, as such terms are defined in the Federal Alcohol Administration Act (27 U.S.C. 201 et seq.) and regulations issued under that Act, when subject to the labeling requirements of that Act and labeling regulations issued under that Act by the Bureau of Alcohol, Tobacco, Firearms and Explosives;
 - (v) Any consumer product or hazardous substance as those terms are defined in the Consumer Product Safety Act (15 U.S.C. 2051 et seq.) and Federal Hazardous Substances Act (15 U.S.C. 1261 et seq.) respectively, when subject to a consumer product safety standard or labeling requirement of those Acts, or regulations issued under those Acts by the Consumer Product Safety Commission; and,
 - (vi) Agricultural or vegetable seed treated with pesticides and labeled in accordance with the Federal Seed Act (7 U.S.C. 1551 et seq.) and the labeling regulations issued under that Act by the Department of Agriculture.
- (6) This section does not apply to:
- (i) Any hazardous waste as such term is defined by the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6901 et seq.), when subject to regulations issued under that Act by the Environmental Protection Agency;
 - (ii) Any hazardous substance as such term is defined by the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (42 U.S.C. 9601 et seq.) when the hazardous substance is the focus of remedial or removal action being conducted under CERCLA in accordance with Environmental Protection Agency regulations.
 - (iii) Tobacco or tobacco products;
 - (iv) Wood or wood products, including lumber which will not be processed, where the chemical manufacturer or importer can establish that the only hazard they pose to employees is the potential for flammability or combustibility (wood or wood products which have been treated with a hazardous chemical covered by this standard, and wood which may be subsequently sawed or cut, generating dust, are not exempted);
 - (v) Articles (as that term is defined in paragraph (c) of this section);
 - (vi) Food or alcoholic beverages which are sold, used, or prepared in a retail establishment (such as a grocery store, restaurant, or drinking place), and foods intended for personal consumption by employees while in the workplace;
 - (vii) Any drug, as that term is defined in the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 301 et seq.), when it is in solid, final form for direct administration to

the patient (e.g., tablets or pills); drugs which are packaged by the chemical manufacturer for sale to consumers in a retail establishment (e.g., over-the-counter drugs); and drugs intended for personal consumption by employees while in the workplace (e.g., first aid supplies);

- (viii) Cosmetics which are packaged for sale to consumers in a retail establishment, and cosmetics intended for personal consumption by employees while in the workplace;
- (ix) Any consumer product or hazardous substance, as those terms are defined in the Consumer Product Safety Act (15 U.S.C. 2051 et seq.) and Federal Hazardous Substances Act (15 U.S.C. 1261 et seq.) respectively, where the employer can show that it is used in the workplace for the purpose intended by the chemical manufacturer or importer of the product, and the use results in a duration and frequency of exposure which is not greater than the range of exposures that could reasonably be experienced by consumers when used for the purpose intended;
- (x) Nuisance particulates where the chemical manufacturer or importer can establish that they do not pose any physical or health hazard covered under this section;
- (xi) Ionizing and nonionizing radiation; and,
- (xii) Biological hazards.

(c) **Definitions.**

“Article” means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees.

“Assistant Secretary” means the Assistant Secretary of Labor for Occupational Safety and Health, U.S. Department of Labor, or designee.

“Chemical” means any substance, or mixture of substances.

“Chemical manufacturer” means an employer with a workplace where chemical(s) are produced for use or distribution.

“Chemical name” means the scientific designation of a chemical in accordance with the nomenclature

system developed by the International Union of Pure and Applied Chemistry (IUPAC) or the Chemical Abstracts Service (CAS) rules of nomenclature, or a name that will clearly identify the chemical for the purpose of conducting a hazard classification.

“Classification” means to identify the relevant data regarding the hazards of a chemical; review those data to ascertain the hazards associated with the chemical; and decide whether the chemical will be classified as hazardous according to the definition of hazardous chemical in this section. In addition, classification for health and physical hazards includes the determination of the degree of hazard, where appropriate, by comparing the data with the criteria for health and physical hazards.

“Commercial account” means an arrangement whereby a retail distributor sells hazardous chemicals to an employer, generally in large quantities over time and/or at costs that are below the regular retail price.

“Common name” means any designation or identification such as code name, code number, trade name, brand name or generic name used to identify a chemical other than by its chemical name.

“Container” means any bag, barrel, bottle, box, can, cylinder, drum, reaction vessel, storage tank, or the like that contains a hazardous chemical. For purposes of this section, pipes or piping systems, and engines, fuel tanks, or other operating systems in a vehicle, are not considered to be containers.

“Designated representative” means any individual or organization to whom an employee gives written authorization to exercise such employee’s rights under this section. A recognized or certified collective bargaining agent shall be treated automatically as a designated representative without regard to written employee authorization.

“Director” means the Director, National Institute for Occupational Safety and Health, U.S. Department of Health and Human Services, or designee.

“Distributor” means a business, other than a chemical manufacturer or importer, which supplies hazardous chemicals to other distributors or to employers.

“Employee” means a worker who may be exposed to hazardous chemicals under normal operating conditions or in foreseeable emergencies. Workers such as office workers or bank tellers who encounter hazardous chemicals only in non-routine, isolated instances are not covered.

“Employer” means a person engaged in a business where chemicals are either used, distributed, or are produced for use or distribution, including a contractor or subcontractor.

“Exposure or exposed” means that an employee is subjected in the course of employment to a chemical that is a physical or health hazard, and includes potential (e.g. accidental or possible) exposure. *“Subjected”* in terms of health hazards includes any route of entry (e.g. inhalation, ingestion, skin contact or absorption.)

“Foreseeable emergency” means any potential occurrence such as, but not limited to, equipment failure, rupture of containers, or failure of control equipment which could result in an uncontrolled release of a hazardous chemical into the workplace.

“Hazard category” means the division of criteria within each hazard class, e.g., oral acute toxicity and flammable liquids include four hazard categories. These categories compare hazard severity within a hazard class and should not be taken as a comparison of hazard categories more generally.

“Hazard class” means the nature of the physical or health hazards, e.g., flammable solid, carcinogen, oral acute toxicity.

“Hazard not otherwise classified (HNOC)” means an adverse physical or health effect identified through evaluation of scientific evidence during the classification process that does not meet the specified criteria for the physical and health hazard classes addressed in this section. This does not extend coverage to adverse physical and health effects for which there is a hazard class addressed in this section, but the effect either falls below the cut-off value/concentration limit of the hazard class or is under a GHS hazard category that has not been adopted by OSHA (e.g., acute toxicity Category 5).

“Hazard statement” means a statement assigned to a hazard class and category that describes the nature of the hazard(s) of a chemical, including, where appropriate, the degree of hazard.

“Hazardous chemical” means any chemical which is classified as a physical hazard or a health hazard, a simple asphyxiant, combustible dust, pyrophoric gas, or hazard not otherwise classified.

“Health hazard” means a chemical which is classified as posing one of the following hazardous effects: acute toxicity (any route of exposure); skin corrosion or irritation; serious eye damage or eye irritation; respiratory or skin sensitization; germ cell mutagenicity; carcinogenicity; reproductive toxicity; specific target organ toxicity (single or repeated exposure); or aspiration hazard. The criteria for determining whether a chemical is classified as a health hazard are detailed in Appendix A to §1910.1200 – Health Hazard Criteria.

“Immediate use” means that the hazardous chemical will be under the control of and used only by the person who transfers it from a labeled container and only within the work shift in which it is transferred.

“Importer” means the first business with employees within the Customs Territory of the United States which receives hazardous chemicals produced in other countries for the purpose of supplying them to distributors or employers within the United States.

“Label” means an appropriate group of written, printed or graphic information elements concerning a hazardous chemical that is affixed to, printed on, or attached to the immediate container of a hazardous chemical, or to the outside packaging.

“Label elements” means the specified pictogram, hazard statement, signal word and precautionary statement for each hazard class and category.

“Mixture” means a combination or a solution composed of two or more substances in which they do not react.

“Physical hazard” means a chemical that is classified as posing one of the following hazardous effects: explosive; flammable (gases, aerosols, liquids, or solids); oxidizer (liquid, solid or gas); self-reactive; pyrophoric (liquid or solid); self-heating; organic peroxide; corrosive to metal; gas under pressure; or in contact with water emits flammable gas. See Appendix B to §1910.1200 – Physical Hazard Criteria.

“Pictogram” means a composition that may include a symbol plus other graphic elements, such as a border, background pattern, or color, that is intended to convey specific information about

Exam Question

6. Per OSHA’s Hazard Communication Standard, _____ means any potential occurrence such as, but not limited to, equipment failure, rupture of containers, or failure of control equipment which could result in an uncontrolled release of a hazardous chemical into the workplace.
- a. Foreseeable emergency
 - b. Hazard category
 - c. Hazard class
 - d. Hazard statement

the hazards of a chemical. Eight pictograms are designated under this standard for application to a hazard category.

“Precautionary statement” means a phrase that describes recommended measures that should be taken to minimize or prevent adverse effects resulting from exposure to a hazardous chemical, or improper storage or handling.

“Product identifier” means the name or number used for a hazardous chemical on a label or in the SDS. It provides a unique means by which the user can identify the chemical. The product identifier used shall permit cross-references to be made among the list of hazardous chemicals required in the written hazard communication program, the label and the SDS.

“Produce” means to manufacture, process, formulate, blend, extract, generate, emit, or repackage.

“Pyrophoric gas” means a chemical in a gaseous state that will ignite spontaneously in air at a temperature of 130 degrees F (54.4 degrees C) or below.

“Responsible party” means someone who can provide additional information on the hazardous chemical and appropriate emergency procedures, if necessary.

“Safety data sheet (SDS)” means written or printed material concerning a hazardous chemical that is prepared in accordance with paragraph (g) of this section.

“Signal word” means a word used to indicate the relative level of severity of hazard and alert the reader to a potential hazard on the label. The signal words used in this section are “danger” and “warning.” “Danger” is used for the more severe hazards, while “warning” is used for the less severe.

“Simple asphyxiant” means a substance or mixture that displaces oxygen in the ambient atmosphere, and can thus cause oxygen deprivation in those who are exposed, leading to unconsciousness and death.

“Specific chemical identity” means the chemical name, Chemical Abstracts Service (CAS) Registry Number, or any other information that reveals the precise chemical designation of the substance.

“Substance” means chemical elements and their compounds in the natural state or obtained by any production process, including any additive necessary to preserve the stability of the product and any impurities deriving from the process used, but excluding any solvent which may be separated without affecting the stability of the substance or changing its composition.

“Trade secret” means any confidential formula, pattern, process, device, information or compilation of information that is used in an employer’s business, and that gives the employer an opportunity to obtain an advantage over competitors who do not know or use it. Appendix E to §1910.1200— Definition of Trade Secret, sets out the criteria to be used in evaluating trade secrets.

“Use” means to package, handle, react, emit, extract, generate as a byproduct, or transfer.

“Work area” means a room or defined space in a workplace where hazardous chemicals are produced or used, and where employees are present.

“Workplace” means an establishment, job site, or project, at one geographical location containing one or more work areas.

(d) Hazard classification.

- (1) Chemical manufacturers and importers shall evaluate chemicals produced in their workplaces or imported by them to classify the chemicals in accordance with this section. For each chemical, the chemical manufacturer or importer shall determine the hazard classes, and where appropriate, the category of each class that apply to the chemical being classified. Employers are not required to classify chemicals unless they choose not to rely on the classification performed by the chemical manufacturer or importer for the chemical to satisfy this requirement.
- (2) Chemical manufacturers, importers or employers classifying chemicals shall identify and consider the full range of available scientific literature and other evidence concerning the potential hazards. There is no requirement to test the chemical to determine how to classify its hazards. Appendix A to §1910.1200 shall be consulted for classification of health hazards, and Appendix B to §1910.1200 shall be consulted for the classification of physical hazards.
- (3) Mixtures.
 - (i) Chemical manufacturers, importers, or employers evaluating chemicals shall follow the procedures described in Appendices A and B to §1910.1200 to classify the hazards of the chemicals, including determinations regarding when mixtures of the classified chemicals are covered by this section.
 - (ii) When classifying mixtures they produce or import, chemical manufacturers and importers of mixtures may rely on the

information provided on the current safety data sheets of the individual ingredients except where the chemical manufacturer or importer knows, or in the exercise of reasonable diligence should know, that the safety data sheet misstates or omits information required by this section.

(e) Written hazard communication program.

(1) Employers shall develop, implement, and maintain at each workplace, a written hazard communication program which at least describes how the criteria specified in paragraphs (f), (g), and (h) of this section for labels and other forms of warning, safety data sheets, and employee information and training will be met, and which also includes the following:

- (i) A list of the hazardous chemicals known to be present using a product identifier that is referenced on the appropriate safety data sheet (the list may be compiled for the workplace as a whole or for individual work areas); and,
- (ii) The methods the employer will use to inform employees of the hazards of non-routine tasks (for example, the cleaning of reactor vessels), and the hazards associated with chemicals contained in unlabeled pipes in their work areas.

(2) *“Multi-employer workplaces.”* Employers who produce, use, or store hazardous chemicals at a workplace in such a way that the employees of other employer(s) may be exposed (for example, employees of a construction contractor working on-site) shall additionally ensure that the hazard communication programs developed and implemented under this paragraph (e) include the following:

- (i) The methods the employer will use to provide the other employer(s) on-site access to safety data sheets for each hazardous chemical the other employer(s)' employees may be exposed to while working;
- (ii) The methods the employer will use to inform the other employer(s) of any precautionary measures that need to be taken to protect employees during the workplace's normal operating conditions

and in foreseeable emergencies; and,

(iii) The methods the employer will use to inform the other employer(s) of the labeling system used in the workplace.

(3) The employer may rely on an existing hazard communication program to comply with these requirements, provided that it meets the criteria established in this paragraph (e).

(4) The employer shall make the written hazard communication program available, upon request, to employees, their designated representatives, the Assistant Secretary and the Director, in accordance with the requirements of 29 CFR 1910.1020 (e).

(5) Where employees must travel between workplaces during a workshift, i.e., their work is carried out at more than one geographical location, the written hazard communication program may be kept at the primary workplace facility.

(f) Labels and other forms of warning.

(1) *Labels on shipped containers.* The chemical manufacturer, importer, or distributor shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged or marked. Hazards not otherwise classified do not have to be addressed on the container. Where the chemical manufacturer or importer is required to label, tag or mark the following shall be provided:

- (i) Product identifier;
- (ii) Signal word;
- (iii) Hazard statement(s);
- (iv) Pictogram(s);
- (v) Precautionary statement(s); and,
- (vi) Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party.

(2) The chemical manufacturer, importer, or distributor shall ensure that the information provided under paragraphs (f)(1)(i) through (v) of this section is in accordance with Appendix C, Allocation of Label Elements, for each hazard class and associated hazard category for the hazardous chemical, prominently displayed,

Exam Question

7. Where employees must travel between workplaces during a workshift, i.e., their work is carried out at more than one geographical location, the written hazard communication program _____.
- a. May be kept at the primary workplace facility
 - b. Must be portable, and in the employee's possession at all times
 - c. Must be duplicated and placed at each workplace facility
 - d. None of the above

and in English (other languages may also be included if appropriate).

- (3) The chemical manufacturer, importer, or distributor shall ensure that the information provided under paragraphs (f)(1)(ii) through (iv) of this section is located together on the label, tag, or mark.

(4) *Solid materials*

- (i) For solid metal (such as a steel beam or a metal casting), solid wood, or plastic items that are not exempted as articles due to their downstream use, or shipments of whole grain, the required label may be transmitted to the customer at the time of the initial shipment, and need not be included with subsequent shipments to the same employer unless the information on the label changes;
- (ii) The label may be transmitted with the initial shipment itself, or with the safety data sheet that is to be provided prior to or at the time of the first shipment; and,
- (iii) This exception to requiring labels on every container of hazardous chemicals is only for the solid material itself, and does not apply to hazardous chemicals used in conjunction with, or known to be present with, the material and to which employees handling the items in transit may be exposed (for example, cutting fluids or pesticides in grains).

- (5) Chemical manufacturers, importers, or distributors shall ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked in accordance with this section in a manner which does not conflict with the requirements of the Hazardous Materials Transportation Act (49 U.S.C. 1801 et seq.) and regulations issued under that Act by the Department of Transportation.

- (6) *Workplace labeling.* Except as provided in paragraphs (f)(7) and (f)(8) of this section, the employer shall ensure that each container of hazardous chemicals in the workplace is labeled, tagged or marked with either:

- (i) The information specified under paragraphs (f)(1)(i) through (v) of this section for labels on shipped containers; or,
- (ii) Product identifier and words, pictures, symbols, or combination thereof, which provide at least general information regarding the hazards of the chemicals, and which, in conjunction with the other information immediately available to employees under the hazard

communication program, will provide employees with the specific information regarding the physical and health hazards of the hazardous chemical.

- (7) The employer may use signs, placards, process sheets, batch tickets, operating procedures, or other such written materials in lieu of affixing labels to individual stationary process containers, as long as the alternative method identifies the containers to which it is applicable and conveys the information required by paragraph (f)(6) of this section to be on a label. The employer shall ensure the written materials are readily accessible to the employees in their work area throughout each work shift.
- (8) The employer is not required to label portable containers into which hazardous chemicals are transferred from labeled containers, and which are intended only for the immediate use of the employee who performs the transfer. For purposes of this section, drugs which are dispensed by a pharmacy to a health care provider for direct administration to a patient are exempted from labeling.
- (9) The employer shall not remove or deface existing labels on incoming containers of hazardous chemicals, unless the container is immediately marked with the required information.
- (10) The employer shall ensure that workplace labels or other forms of warning are legible, in English, and prominently displayed on the container, or readily available in the work area throughout each work shift. Employers having employees who speak other languages may add the information in their language to the material presented, as long as the information is presented in English as well.
- (11) Chemical manufacturers, importers, distributors, or employers who become newly aware of any significant information regarding the hazards of a chemical shall revise the labels for the chemical within six months of becoming aware of the new information, and shall ensure that labels on containers of hazardous chemicals shipped after that time contain the new information. If the chemical is not currently produced or imported, the chemical manufacturer, importer, distributor, or employer shall add the information to the label before the chemical is shipped or introduced into the workplace again.
- (g) **Safety data sheets.**
- (1) Chemical manufacturers and importers shall obtain or develop a safety data sheet for each hazardous chemical they produce or import.

Employers shall have a safety data sheet in the workplace for each hazardous chemical which they use.

- (2) The chemical manufacturer or importer preparing the safety data sheet shall ensure that it is in English (although the employer may maintain copies in other languages as well), and includes at least the following section numbers and headings, and associated information under each heading, in the order listed (See Appendix D to §1910.1200--Safety Data Sheets, for the specific content of each section of the safety data sheet):
- (i) Section 1, Identification;
 - (ii) Section 2, Hazard(s) identification;
 - (iii) Section 3, Composition/information on ingredients;
 - (iv) Section 4, First-aid measures;
 - (v) Section 5, Fire-fighting measures;
 - (vi) Section 6, Accidental release measures;
 - (vii) Section 7, Handling and storage;
 - (viii) Section 8, Exposure controls/personal protection;
 - (ix) Section 9, Physical and chemical properties;
 - (x) Section 10, Stability and reactivity;
 - (xi) Section 11, Toxicological information.
 - (xii) Section 12, Ecological information;
 - (xiii) Section 13, Disposal considerations;
 - (xiv) Section 14, Transport information;
 - (xv) Section 15, Regulatory information; and
 - (xvi) Section 16, Other information, including date of preparation or last revision.

Note 1 to paragraph (g)(2): To be consistent with the GHS, an SDS must also include the headings in paragraphs (g)(2)(xii) through (g)(2)(xv) in order.

Note 2 to paragraph (g)(2): OSHA will not be enforcing information requirements in sections 12 through 15, as these areas are not under its jurisdiction.

- (3) If no relevant information is found for any

sub-heading within a section on the safety data sheet, the chemical manufacturer, importer or employer preparing the safety data sheet shall mark it to indicate that no applicable information was found.

- (4) Where complex mixtures have similar hazards and contents (i.e. the chemical ingredients are essentially the same, but the specific composition varies from mixture to mixture), the chemical manufacturer, importer or employer may prepare one safety data sheet to apply to all of these similar mixtures.
- (5) The chemical manufacturer, importer or employer preparing the safety data sheet shall ensure that the information provided accurately reflects the scientific evidence used in making the hazard classification. If the chemical manufacturer, importer or employer preparing the safety data sheet becomes newly aware of any significant information regarding the hazards of a chemical, or ways to protect against the hazards, this new information shall be added to the safety data sheet within three months. If the chemical is not currently being produced or imported the chemical manufacturer or importer shall add the information to the safety data sheet before the chemical is introduced into the workplace again.
- (6)
- (i) Chemical manufacturers or importers shall ensure that distributors and employers are provided an appropriate safety data sheet with their initial shipment, and with the first shipment after a safety data sheet is updated;
 - (ii) The chemical manufacturer or importer shall either provide safety data sheets with the shipped containers or send them to the distributor or employer prior to or at the time of the shipment;
 - (iii) If the safety data sheet is not provided with a shipment that has been labeled as a hazardous chemical, the distributor or employer shall obtain one from the chemical manufacturer or importer as soon as possible; and,
 - (iv) The chemical manufacturer or importer shall also provide distributors or employers with a safety data sheet upon request.

Exam Question

8. Employers shall have a safety data sheet in the workplace _____
- a. For a minimum of 50% of the hazardous chemicals in frequent use
 - b. For a minimum of 85% of the hazardous chemicals in frequent use
 - c. For each hazardous chemical which they use
 - d. For each of the most frequently-used hazardous chemicals

- (7)
- (i) Distributors shall ensure that safety data sheets, and updated information, are provided to other distributors and employers with their initial shipment and with the first shipment after a safety data sheet is updated;
 - (ii) The distributor shall either provide safety data sheets with the shipped containers, or send them to the other distributor or employer prior to or at the time of the shipment;
 - (iii) Retail distributors selling hazardous chemicals to employers having a commercial account shall provide a safety data sheet to such employers upon request, and shall post a sign or otherwise inform them that a safety data sheet is available;
 - (iv) Wholesale distributors selling hazardous chemicals to employers over-the-counter may also provide safety data sheets upon the request of the employer at the time of the over-the-counter purchase, and shall post a sign or otherwise inform such employers that a safety data sheet is available;
 - (v) If an employer without a commercial account purchases a hazardous chemical from a retail distributor not required to have safety data sheets on file (i.e., the retail distributor does not have commercial accounts and does not use the materials), the retail distributor shall provide the employer, upon request, with the name, address, and telephone number of the chemical manufacturer, importer, or distributor from which a safety data sheet can be obtained;
 - (vi) Wholesale distributors shall also provide safety data sheets to employers or other distributors upon request; and,
 - (vii) Chemical manufacturers, importers, and distributors need not provide safety data sheets to retail distributors that have informed them that the retail distributor does not sell the product to commercial accounts or open the sealed container to use it in their own workplaces.
- (8) The employer shall maintain in the workplace copies of the required safety data sheets for each hazardous chemical, and shall ensure that they are readily accessible during each work shift to employees when they are in their work area(s). (Electronic access and other alternatives to maintaining paper copies of the safety data sheets are permitted as long as no barriers to immediate employee access in each workplace are created by such options.)
- (9) Where employees must travel between workplaces during a workshift, i.e., their work is carried out at more than one geographical location, the safety data sheets may be kept at the primary workplace facility. In this situation, the employer shall ensure that employees can immediately obtain the required information in an emergency.
- (10) Safety data sheets may be kept in any form, including operating procedures, and may be designed to cover groups of hazardous chemicals in a work area where it may be more appropriate to address the hazards of a process rather than individual hazardous chemicals. However, the employer shall ensure that in all cases the required information is provided for each hazardous chemical, and is readily accessible during each work shift to employees when they are in their work area(s).
- (11) Safety data sheets shall also be made readily available, upon request, to designated representatives, the Assistant Secretary, and the Director, in accordance with the requirements of 29 CFR 1910.1020(e).
- (h) **Employee information and training.**
- (1) Employers shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard the employees have not previously been trained about is introduced into their work area. Information and training may be designed to cover categories of hazards (e.g., flammability, carcinogenicity) or specific chemicals. Chemical-specific information must always be available through labels and safety data sheets.
 - (2) Information. Employees shall be informed of:
 - (i) The requirements of this section;
 - (ii) Any operations in their work area where hazardous chemicals are present; and,
 - (iii) The location and availability of the written hazard communication program, including the required list(s) of hazardous chemicals, and safety data sheets required by this section.
 - (3) Training. Employee training shall include at least:
 - (i) Methods and observations that may be used to detect the presence or release of

a hazardous chemical in the work area (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.);

- (ii) The physical, health, simple asphyxiation, combustible dust, and pyrophoric gas hazards, as well as hazards not otherwise classified, of the chemicals in the work area;
- (iii) The measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used; and,
- (iv) The details of the hazard communication program developed by the employer, including an explanation of the labels received on shipped containers and the workplace labeling system used by their employer; the safety data sheet, including the order of information and how employees can obtain and use the appropriate hazard information.

(i) **Trade secrets.**

- (1) The chemical manufacturer, importer, or employer may withhold the specific chemical identity, including the chemical name, other specific identification of a hazardous chemical, or the exact percentage (concentration) of the substance in a mixture, from the safety data sheet, provided that:
 - (i) The claim that the information withheld is a trade secret can be supported;
 - (ii) Information contained in the safety data sheet concerning the properties and effects of the hazardous chemical is disclosed;
 - (iii) The safety data sheet indicates that the specific chemical identity and/or percentage of composition is being withheld as a trade secret; and,
 - (iv) The specific chemical identity and percentage is made available to health

professionals, employees, and designated representatives in accordance with the applicable provisions of this paragraph (i)

- (2) Where a treating physician or nurse determines that a medical emergency exists and the specific chemical identity and/or specific percentage of composition of a hazardous chemical is necessary for emergency or first-aid treatment, the chemical manufacturer, importer, or employer shall immediately disclose the specific chemical identity or percentage composition of a trade secret chemical to that treating physician or nurse, regardless of the existence of a written statement of need or a confidentiality agreement. The chemical manufacturer, importer, or employer may require a written statement of need and confidentiality agreement, in accordance with the provisions of paragraphs (i)(3) and (4) of this section, as soon as circumstances permit.
- (3) In non-emergency situations, a chemical manufacturer, importer, or employer shall, upon request, disclose a specific chemical identity or percentage composition, otherwise permitted to be withheld under paragraph (i) (1) of this section, to a health professional (i.e. physician, industrial hygienist, toxicologist, epidemiologist, or occupational health nurse) providing medical or other occupational health services to exposed employee(s), and to employees or designated representatives, if:
 - (i) The request is in writing;
 - (ii) The request describes with reasonable detail one or more of the following occupational health needs for the information:
 - (A) To assess the hazards of the chemicals to which employees will be exposed;
 - (B) To conduct or assess sampling of the workplace atmosphere to determine employee exposure levels;
 - (C) To conduct pre-assignment or periodic medical surveillance of exposed employees;
 - (D) To provide medical treatment to exposed employees;
 - (E) To select or assess appropriate personal

Exam Question

9. _____ shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard the employees have not previously been trained about is introduced into their work area.

- a. Distributors
- b. Employers
- c. Manufacturers
- d. OSHA

protective equipment for exposed employees;

(F) To design or assess engineering controls or other protective measures for exposed employees; and,

(G) To conduct studies to determine the health effects of exposure.

(iii) The request explains in detail why the disclosure of the specific chemical identity or percentage composition is essential and that, in lieu thereof, the disclosure of the following information to the health professional, employee, or designated representative, would not satisfy the purposes described in paragraph (i)(3)(ii) of this section:

(A) The properties and effects of the chemical;

(B) Measures for controlling workers' exposure to the chemical;

(C) Methods of monitoring and analyzing worker exposure to the chemical; and,

(D) Methods of diagnosing and treating harmful exposures to the chemical;

(iv) The request includes a description of the procedures to be used to maintain the confidentiality of the disclosed information; and,

(v) The health professional, and the employer or contractor of the services of the health professional (i.e. downstream employer, labor organization, or individual employee), employee, or designated representative, agree in a written confidentiality agreement that the health professional, employee, or designated representative, will not use the trade secret information for any purpose other than the health need(s) asserted and agree not to release the information under any circumstances other than to OSHA, as provided in paragraph (i)(6) of this section, except as authorized by the terms of the agreement or by the chemical manufacturer, importer, or employer.

(4) The confidentiality agreement authorized by paragraph (i)(3)(iv) of this section:

(i) May restrict the use of the information to the health purposes indicated in the written statement of need;

(ii) May provide for appropriate legal remedies in the event of a breach of the agreement, including stipulation of a

reasonable pre-estimate of likely damages; and,

(iii) May not include requirements for the posting of a penalty bond.

(5) Nothing in this standard is meant to preclude the parties from pursuing non-contractual remedies to the extent permitted by law.

(6) If the health professional, employee, or designated representative receiving the trade secret information decides that there is a need to disclose it to OSHA, the chemical manufacturer, importer, or employer who provided the information shall be informed by the health professional, employee, or designated representative prior to, or at the same time as, such disclosure.

(7) If the chemical manufacturer, importer, or employer denies a written request for disclosure of a specific chemical identity or percentage composition, the denial must:

(i) Be provided to the health professional, employee, or designated representative, within thirty days of the request;

(ii) Be in writing;

(iii) Include evidence to support the claim that the specific chemical identity or percent of composition is a trade secret;

(iv) State the specific reasons why the request is being denied; and,

(v) Explain in detail how alternative information may satisfy the specific medical or occupational health need without revealing the trade secret.

(8) The health professional, employee, or designated representative whose request for information is denied under paragraph (i) (3) of this section may refer the request and the written denial of the request to OSHA for consideration.

(9) When a health professional, employee, or designated representative refers the denial to OSHA under paragraph (i)(8) of this section, OSHA shall consider the evidence to determine if:

(i) The chemical manufacturer, importer, or employer has supported the claim that the specific chemical identity or percentage composition is a trade secret;

(ii) The health professional, employee, or designated representative has supported the claim that there is a medical or occupational health need for the information; and,

- (iii) The health professional, employee or designated representative has demonstrated adequate means to protect the confidentiality.
- (10)
- (i) If OSHA determines that the specific chemical identity or percentage composition requested under paragraph (i)(3) of this section is not a “bona fide” trade secret, or that it is a trade secret, but the requesting health professional, employee, or designated representative has a legitimate medical or occupational health need for the information, has executed a written confidentiality agreement, and has shown adequate means to protect the confidentiality of the information, the chemical manufacturer, importer, or employer will be subject to citation by OSHA.
 - (ii) If a chemical manufacturer, importer, or employer demonstrates to OSHA that the execution of a confidentiality agreement would not provide sufficient protection against the potential harm from the unauthorized disclosure of a trade secret, the Assistant Secretary may issue such orders or impose such additional limitations or conditions upon the disclosure of the requested chemical information as may be appropriate to assure that the occupational health services are provided without an undue risk of harm to the chemical manufacturer, importer, or employer.
- (11) If a citation for a failure to release trade secret information is contested by the chemical manufacturer, importer, or employer, the matter will be adjudicated before the Occupational Safety and Health Review Commission in accordance with the Act’s enforcement scheme and the applicable Commission rules of procedure. In accordance with the Commission rules, when a chemical manufacturer, importer, or employer continues to withhold the information during the contest, the Administrative Law Judge may review the citation and supporting documentation “in camera” or issue appropriate orders to protect the confidentiality of such matters.
- (12) Notwithstanding the existence of a trade secret claim, a chemical manufacturer, importer, or employer shall, upon request, disclose to the Assistant Secretary any information which this section requires the chemical manufacturer, importer, or employer to make available.

Where there is a trade secret claim, such claim shall be made no later than at the time the information is provided to the Assistant Secretary so that suitable determinations of trade secret status can be made and the necessary protections can be implemented.

- (13) Nothing in this paragraph shall be construed as requiring the disclosure under any circumstances of process information which is a trade secret.
- (j) **Effective dates.**
- (1) Employers shall train employees regarding the new label elements and safety data sheets format by December 1, 2013.
 - (2) Chemical manufacturers, importers, distributors, and employers shall be in compliance with all modified provisions of this section no later than June 1, 2015, except:
 - (i) After December 1, 2015, the distributor shall not ship containers labeled by the chemical manufacturer or importer unless the label has been modified to comply with paragraph (f)(1) of this section.
 - (ii) All employers shall, as necessary, update any alternative workplace labeling used under paragraph (f)(6) of this section, update the hazard communication program required by paragraph (h)(1), and provide any additional employee training in accordance with paragraph (h) (3) for newly identified physical or health hazards no later than June 1, 2016.
 - (3) Chemical manufacturers, importers, distributors, and employers may comply with either §1910.1200 revised as of October 1, 2011, or the current version of this standard, or both during the transition period.

[59 FR 17479, April 13, 1994; 59 FR 65947, Dec. 22, 1994; 61 FR 5507, Feb. 13, 1996; 77 FR 17785, March 26, 2012]

Compliance with OSHA Personal Protective Equipment Standard

Introduction to the OSHA Personal Protective Equipment Standard

All employers are required to make an assessment of the hazards in their workplaces. For any hazards identified, the employer must certify that the PPE which has been selected is that which is most appropriate to the hazard. Additionally, employers must certify that employees have been properly trained to use the PPE.

Compliance Requirements for Funeral Homes

Consult the safety data sheets (SDS) to determine proper PPE when handling any given chemical. It is recommended that embalmers using solutions containing formaldehyde wear the following PPE: coveralls, shoe covers, gloves, chemical goggles,

face shield, head cover and surgical mask. Coveralls, aprons, or gowns need to have full sleeve coverage and be impervious to blood, formaldehyde, and other chemical agents. If air sampling indicates that exposures to formaldehyde during embalming exceed the limits permitted by OSHA, then a respirator which protects against formaldehyde must be worn.

Personal Protective Equipment Action Items	
Hazardous Condition or Work Practice	Recommended Corrective Actions
Assess the tasks conducted at the funeral home to determine what PPE is needed. 29 CFR 1910.132 (d)(1)	Conduct a PPE hazard assessment of your workplace. You must also document, in writing, that the assessment has been completed.
Where the use of PPE is required, train the employees who must wear the PPE. 29 CFR 1910.132 (f)(1)	Provide employees with site-specific training on: <ul style="list-style-type: none"> (i) When PPE is necessary; (ii) What PPE is necessary; (iii) How to properly put on and take off, adjust, and wear PPE; (iv) The limitations of the PPE; and, (v) The proper care, maintenance, useful life and disposal of the PPE. Document that employees have received and understood training on PPE.
Wear gloves that are designed for protection against the hazards found in the embalming room. 29 CFR 1910.138(a)	Nitrile or butyl gloves are recommended for exposure to formaldehyde-containing solutions. Other materials (natural latex rubber, PVC, or polyethylene) may be suitable for short immersion periods, but these gloves may have to be changed more frequently than gloves made of nitrile or butyl, due to material degradation. Consult with glove manufacturers, or the SDS for the chemical, to ensure that the gloves you select provide proper protection against formaldehyde and blood exposures. Barrier creams are not regarded as effective protection for formaldehyde, since there is no data demonstrating their efficiency. For tasks that have a high risk of cut or puncture injuries, gloves with an interposed layer of cut-proof synthetic mesh should be considered.
Wear eye protection that is appropriate to the hazards in the embalming room. 29 CFR 1910.133 (a)(1) & 29 CFR 1910.1048(h)(1)(iii)	Provide eye protection that is appropriate to the tasks being conducted, and to the chemicals in use. The formaldehyde standard specifically requires the use of both a face-shield and goggles for tasks where an employee may be exposed to formaldehyde vapors or splashes. For other chemicals, consult the SDS for guidance.
Provide an emergency eyewash and shower in the embalming room. 29 CFR 1910.151(c)	Install an emergency eyewash or combination eyewash/shower. The location should be no more than 10 seconds travel time from anticipated exposure points. One hundred feet can be traveled in 10 seconds if the workplace has no obstacles. If doors or other obstructions are present, the distance is much less.

Guidelines for Emergency Showers and Eyewashes

- (1) **Initiation:** One hand, one action. Once initiated, flow continues, leaving both hands free.
- (2) **Location:** 15 seconds, 25 feet travel, maximum (for highly concentrated solutions, 10 seconds, 10 feet maximum). Eyewashes positioned 34" - 39" high, showers approximately 82" high, with 67" high activation (maximum), positioned 23" (maximum) off center from shower head. Location must be clearly marked, well lighted, and easily accessible, i.e., no obstacles, doorways, or turns.
- (3) **Water quality:** Potable, temperature (60-100 degrees F, ideally 90-95 degrees F). Pressure (eyewash 30 psi at supply line, shower 30 psi), amount (eyewash 3 gallons/minute for 15 minutes minimum, shower 30 gallons/minute for 15 minutes minimum), maintenance (float-away covers or means to prevent contamination; flush units weekly for a minimum of 3 minutes; bump test eyewashes daily, showers weekly; full flow testing monthly).
- (4) **Training:** Routine drills advisable. As a minimum, employees must know the location and proper use of eyewashes and showers (i.e., initiate, remove contaminated clothing, flush full 15 minutes, etc.).

Exam Question

10. Per OSHA's Personal Protective Equipment Standard, _____
- a. All employers are required to make an assessment of the hazards in their workplaces
 - b. Employers must certify that employees have been properly trained to use the selected PPE
 - c. For any hazards identified, the employer must certify that the PPE which has been selected is that which is most appropriate to the hazard
 - d. All of the above

ANSWER SHEET

First Name: _____ Last Name: _____ Date: _____

Address: _____ City: _____ State: _____ ZIP: _____

Phone: _____ Email: _____

License State and #: _____

** See instructions on the inside cover page to submit your exams and pay for your course or courses.

OSHA Compliance Guidance for Funeral Homes - Part 2 FINAL EXAM

1. (A) (B) (C) (D)
2. (A) (B) (C) (D)
3. (A) (B) (C) (D)
4. (A) (B) (C) (D)
5. (A) (B) (C) (D)
6. (A) (B) (C) (D)
7. (A) (B) (C) (D)
8. (A) (B) (C) (D)
9. (A) (B) (C) (D)
10. (A) (B) (C) (D)

Funeral Service Academy

PO Box 449, Pewaukee, WI 53072 | support@funeralcourse.com | (888) 909-5906

COURSE EVALUATION

We'd love your feedback!

Evaluations can be submitted by mail or email (contact information above).

Learner Name: _____

Course Name: _____

	Low			High		
Orientation was thorough and clear	1	2	3	4	5	
Course objectives were clearly stated	1	2	3	4	5	
Content was organized	1	2	3	4	5	
Content was what I expected	1	2	3	4	5	
Program met my needs	1	2	3	4	5	
Satisfied with my learning experience	1	2	3	4	5	
Satisfied with customer service, if applicable	1	2	3	4	5	n/a

What suggestions do you have to improve this program, if any?

What educational needs do you currently have?

What other courses or topics are of interest to you?



APFSP Provider 1107